The livability measurements in the old urban fabric of Zone 1 in District 9, Tehran

A. Azizidoost¹• , M. shababani² , AND S. serajiaghdam ³

Director of District Development Services distirict 1 regional9 Deputy Mayor of Urbanism and Architecture of District 9 of Tehran Urban Development Expert Local Development Office District 1 regional9

Abstract

Ever-increasing population and urbanization have had a detrimental effect on the cities and the continuing urbanization resulted in the social, economic, and environmental problems of the cities which is a crisis and the warning for the cities' sustainability. This situation is also the case in many cities in Iran, which are faced with the consequences of urban rapid growth and the lack of sufficient financial and human resources in the management process. It is well understood that the livability based on the participation of residents in a neighborhood emphasizes on the social capital, public participation and the sense of belonging of the neighborhood residents. This, with an emphasis on the role of people and community in the neighborhood, can provide better outcome to the neighborhood in identifying neighborhood problems and subsequently decision making, planning and the related authorities in a neighborhood. Indicators of this study are socioeconomic, physical, and environmental indicators. The purpose of this research is to identify the threats, opportunities and capabilities of Zone1 in District 9 by using a survey in the form of a five-point Likert scale. This study was done by using the SWOT model and prioritizing them using a Quantitative Strategic Planning Matrix (QSPM). The results of the research show that the construction of class parking, the construction of a hangout, the rehabilitation of existing gardens and parks, defining of the incentive development projects in the state and municipal lands, are of the basic needs of the neighborhood and have the highest priority which are mostly physical and infrastructural.

Key words: SWOT, livability, livability index, zone 1, District 9.

[•] e-mail: anvar740@gmail.com

Introduction

One of the factors influencing humankind's sense of belonging is the quality of the living places. Environments that are low in terms of the quality of the living places are generally less likely to be considered livable. The term "livability" refers to the degree in which the needs of a community are based on the capacities of the people of that community. A non-livable society is indifferent to the needs of its people and does not respect their wishes. In recent years, with regard to the development of urbanization and the growing population of cities, attention has been paid to measuring the present situation of cities and neighborhoods. On the other hand, considering the change of views from pure standards to qualitative perspectives and the emergence of a sustainable development theory and approach rather than a macroeconomic perspective, the issues of quality of life and living city have been considered seriously (Mahdizadeh, 32: 1382).

Significance of the study

Cities today are faced with many challenges in terms of economic, social and environmental issues. At the same time, ever increasing populations and urbanization, have had damaging effects on cities. The continuation of this kind of urbanization with social, economic and environmental problems is a crisis and a warning to the sustainability of cities. In the meantime, problems such as a decay in the quality of life, air pollution, traffic, psychological problems reduce the livability of cities dramatically. Therefore, the necessity and importance of the debate about the livability of today in cities is quite clear (Sasan Poor and Others, 130: 1393).

Statement of problem

The livability of a city is determined by the extent to which the inhabitants of that city participate in decision-making process to meet their needs. livability is defined as the quality of life experienced by residents of a city, a region or neighborhood, which can be social, economic and environmental (physical and infrastructural) (Seymoar & Timmer, 2005: 2). Therefore, it can be said that the livability that is based on the participation of residents of a neighborhood is in fact a bottom-up planning and management that focuses on social capital and community participation in neighborhoods.

Zone1 of District 9 is located in southwest of Tehran. This area consists of 3 homogeneous neighborhoods that are restricted by the highway of Yadgar, and by Elyah Sa'idi and Jay's Simetri. Due to high accessibility, price of land, the area has attracted the attention of the residents. Though, it faces problems such as lack of open space, lack of parking lots, the lack of service, high density and inadequate infrastructure, low security of nightlife and so on. This paper examines the dimensions and outcomes of the selected community, which includes two groups of people and officials. The strengths and weaknesses of each criterion that remarkably affects other criteria are examined and, finally, given the weighting of priorities, strategies are presented to resolve physical, infrastructural problems.

Research questions

The first research question is: What are the strategies and plans in accordance with the capabilities and potential of the region to improve the livability of the old urban fabric of District 1, which can be done with the involvement of citizens, civil institutions and authorities? And the second research question is: What is the relationship between independent variables (economic, social, physical, and infrastructural, etc.) and dependent variables (livability)?

Research methodology

The method used in this study is descriptive-analysis and the required information was collected through questionnaires, face to face interviews, as well as data provided by relevant institutions and agencies. The project was conducted using a survey in the form of a Likert five-point scale. This is done by using the SWOT model and prioritizing them using the Quantitative Strategic Planning Matrix (QSPM). The reliability and validity of the questionnaire was provided and the respondents of this study were both male and female in Zone1 of District 9 of Tehran municipality with 77,000 number of people. A sample size of 200 people was selected according to the Cochrane formula. It should be noted that the assessment of livability and quality of life are measured for the first time in this area.

Territory of study

Considering the division of Tehran into 22 Districts, the study area is located in District 9 located in southwest of Tehran. District 9 is located north of District 5 and 2, east of the District 10 and west of the District 21 and south of the District 18. The District 9 is in the current status of 2 zones and 8 neighborhoods. District 1 is limited to the north of Azadi Avenue, south of the Dastgheib Street, east to Yadgar Imam Street and Shahidan Street, and west to Ayatollah Saeedi Street. The neighbourhoods of Ostade Moein, Dr. Hoshyar and Dastgheib are covered by District 9 which is approximately 19.6 square kilometers. According to the population census of 1390, a population of 177 thousand people, most of whom live in neighborhoods such as Hoshyar, Shamshiri, Dastgheib, Mehrabad and Jay's Simetri. Zonel is located in the north of the 9th District, which consists of three neighborhoods of the Ostad Moein, Dr. Hoshiar and Shahid Dastgheib. The dominant residential area is R122. The population of the region is about 77,000 according to the 1995 census.




Figure 1:Location map of District 9, Tehran

Theoretical framework

Livability

Livability, in its general and general sense, is the concept of achieving livelihood and, in fact, it is the achievement of good urban planning quality or a stable place.

Livability is about a broad debate of sustainability, transportation, vibrant environments, various dimensions of the community, and so on, that is based on the achievement of urban livability, which is so called a successful city. Through environmental livability, ecological sustainability, social problems (poverty, class differences) economic problems (unemployment, addiction) environmental problems (pollution) and cultural problems (illiteracy) would be addressed (Perogordo and Madrid, 2007: 40).

In general, the definitions of livability and the livable community include a diverse range of topics that are expressed in a series of guidelines: equality and participation. The quality of life of citizens depends on the amount of access to infrastructure (transportation, water and sanitation), food, clean air, affordable housing, satisfying jobs and green spaces and parks. The affordability of a settlement also depends on the amount its resident's participation in the decision-making process to meet their needs (Timmer and Seymour, 2005.p10).

Livability is a general concept associated with a number of other concepts and terminology such as sustainability, quality of life, quality of place and healthy communities (Norris and Pitman, 2000: Blassingame, 1998).

Although the definition of livability varies from one community to another, social planning goals can be used to create indigenous livability criteria. Livability is often used to define the different dimensions of the community and the common experiences that shape it. Livability focuses on the human experience of the place and takes these experiences into account in a given time and place. Livability in a urban system addresses the social, physical, and psychological well-being of all its residents (cities plus, 2003). Charles Landry explores the concept of livability in a different way; he defines the issue individually and deals with the problem with four major approaches. He identifies 9 effective criteria for identifying a livable city: usefulness, diversity, accessibility, safety and security, identity and differentiation, creativity, communication and collaboration, organizational capability, and competition. He examines the subject in a more comprehensive view of urban livability, and the following is a summary of the issues that Landry referred to:

Economic	occupation, net income and living standards of people in a surveyed area, the number of tourists, retail sales			
	performance, land and property value are evaluated.			
Social	It is measured by the levels of social activity and social interaction plus the nature of social communication.			
	A vibrant and livable city can be socially driven by the low levels of deprivation, strong social cohesion, good			
	communication and the dynamics between the social strata, collective spirit and civil pride, a wide range of			
	lifestyles, balanced relationships, freshness of metropolitan society are described.			
Environmental	Two aspects are including: first, ecological aspect is associated with variables such as air and noise pollution,			
	waste and sewage disposal, traffic volumes, and green space. The second aspect is related to design that includes			
	variables such as readability, sense of location, architectural differentiation, connection and communication			
	between different departments, the city, the quality of lighting, and how friendly, safe and psychologically			
	accessible the urban environment.			
Cultural	It includes the viability, respect and celebration of the city and its people, identity, memories, traditions,			
	social celebrations, production, distribution and consumption of man-made products and signs that express the			
	distinctive nature of the city.			

Table 1: Types of livability

Sustainability and livability

Sustainability and livability is the relationship between social, economic and environmental dimensions (Knox, 2011). The interrelationship between these two dimensions be plotted in a prism, which is the main dimension of sustainability is at the intersection of the three sides of the charter. All three sides are connected by axes at the top of the pyramid, that are respected in the three dimensions of social, economic, and environmental values. Livability is recognized as the ultimate goal of any society in achieving the desired living conditions. Based on this, livability can be considered as a subset of the general sustainability concept that seeks to achieve sustainability goals at the local community level.




Figure 2: Theoretical framework

Given the wide range of indicators of survival based on the theoretical literature of the research, the indicators studied in this research are based on Landry which are environmental, physical-structural, social-cultural, aesthetic and economic.

Dimensions	Indicators	Indices
environmental	Contaminations	Satisfaction with noise pollution (noise)
		Air quality satisfaction
Environmental health status		Satisfaction of waste and waste disposal system
		Satisfaction with cleaning and disposal of surface water
	Housing Properties	Satisfaction rate of residential unit size
		Satisfaction level of home lighting
Physical and	Accessibility	Satisfaction with access to educational centers (such as kindergarten, elementary, guidance,
Infrastructure	63 .	etc.)
	GUL	Satisfaction with access to shopping malls
		Satisfaction with access to sports centers
		Satisfaction with access to health centers
		Satisfaction with access to nearby centers, parks and green spaces
	Transportation neighborhood level	Satisfaction with access to public transportation
		Satisfaction with access to pedestrian routes
		Satisfaction with access to public and class parking
		Satisfaction with access to bike routes
	Transit status	Satisfaction with the lighting of the passageways
		Satisfaction with marginal parks inside the neighborhood
		Satisfaction with the quality of the passageways

Social	Social interaction	Satisfaction level of interactions and community relations at the neighborhood level		
		Satisfaction level of the neighborhood program and services		
		Satisfaction with urban quit spaces at the neighborhood		
		The tendency to lasting at the neighborhood level		
		Satisfaction level of neighborhood participation		
		The degree of satisfaction with the activities of popular groups and institutions		
	Social Security	Satisfaction with neighborhood credit		
		Satisfaction level of security in public places at night		
	Visual quality	Satisfaction with the presence of homogeneous and uniform views at the neighborhood level		
Aesthetic	Landscape	Satisfaction with the beauty of the neighborhood		
		Satisfaction of the cinema and the wall		
Economical	Household cost	Satisfaction with household income		
		Satisfaction level of household expenses		
		Satisfaction with shipping costs		

Figure 2: Theoretical framework

characteristics of respondents were in the form of officials and experts in Zone 1 in District 9. Then, in order to assess the livability, we first examine the internal and external factors of Zone 1. For this purpose, first, the strengths and weaknesses as internal factors and the points of opportunity and threat as external factors are extracted, then the internal and external factors are given to the authorities and are prioritized in the steps that are addressed within the text. In the end, strategies for zone 1's livability are presented.

The statistical community in this research is Zone 1 of District 9, which has 77,000 number of people. The number of 200 statistical samples was given by Cochrane Formula. In relation to the research questionnaires, 63% of respondents were male and 37% were female and in terms of age, 40% of the

respondents were from 30 to 35 years old, and 50% of respondents were in graduate and postgraduate education.

Research Findings

By studying the studies on livability and considering that few studies were done on livability, the indices of research have been localized, which are indicators in terms of environmental, physical-infrastructural, socio-economic and aesthetic was determined.

Considering the wide range of livability indicators based on the theoretical literature of the research, the indicators studied in this research are derived from Landry, which has the following environmental, structural, social, aesthetic and economic dimensions.

Indices	Sub-indices			
	Strength	Weakness	Opportunities	Threatens
	Proximity to Azadi Square	Unpleasant smell of sewage	Provide urban amenities such	The loss of
	Al-Mahdi Park with artificial	due to inappropriate slope of	as trash bins along the axis	landscape around
	lake	East-West passages		the area
		Problems associated with the		
		system for the disposal of		
		surface waters and the lack		
tal		of connection to the sewage		
nent		network		
iron		The presence of noise		
Environmental		pollution		
	The existence of shopping	Lack of class parking	The existence of coarse-	Traffic and busy
al	malls and complexes	The existence of marginal	grained properties in the range	streets
ictur	Infrastructure and services	parks	The possibility of developing	
astru	The presence of parks and	Public transportation weakness	urban services and equipment	
infra	space	i uone transportation weakitess	Access to the Ostad Moein	
ical-	Proximity to the terminal and	NM	metro station	
Physical-infrastructural	Mehrabad airport	4004	incuo station	
-	The presence of the	The presence of addicts in	Utilizing community	The existence of
	neighborhood and active	parks and green spaces of the	participation in neighborhood	defenseless urban
	councils	neighborhood	affairs	spaces
	The existence of residential	The lack of neighborhood	Representation of the	Social insecurity
	units commensurate with	relations	institutions of the people in	and robbery in the
	the household size in the	Insecurity of public places at	identifying neighborhood	neighborhood
	neighborhood	night	problems	Low partnerships
	Conducting training and	ingit	^	Low partnerships
		· · · · · · · · · · · · · · · · · · ·	Possibility to create more	
	empowerment classes in the	العلوم أكساي ومطالعات سر	interactive spaces	
ural	neighborhood		The possibility of creating	
-cult	Available training quality	جامع علوم الكار	groups and institutions	
Socio-cultura	and availability of libraries	0 000	Neighborhood credit to other	
Ň			neighborhoods	T C / I
	The existence of commercial	Absence of redundancy	Valuable land prices and	Loss of assets due
	centers and Moein Shopping	insurance	commercial properties	to promises of
	Mall	The high cost of households	Possibility to provide shopping	property
	The presence of commercial		complexes	
	complexes and shopping		Possibility to provide	
	centers		investment areas	
	Available gold bullion orders			
	Low public transportation			
nic	costs			
economic	Definition of aggregated and			
ēc	profitable projects -			

	Creating one-handed views	Extras in construction facades	Create neighborhood-specific	Improvement
	with the Iranian Islamic	such as air conditioner	elements	and restoration
	pattern in the neighborhood,		Creating incentives for	of eligible works
	according to the rules of the		residents in order to create	and exhibits in the
. <u>2</u>	committee		smooth views of worn out	neighborhood
esthetic	There is a beautiful landscape		texture	
Ae	in the neighborhood			

Table 3: Indices and Sub-indices

Opportunities	Threatens
O1 The existence of coarse-grained property in the range for the	T1 scenery loss around the range
provision of services per head	T2 crosses highways and highways and threatens the area
O2 Possibility of developing city services and equipment	T3 Traffic and busy streets
O3 Access to Ostad Moein Metro Station	T4 The existence of defenseless urban spaces
O4 Use of community participation in neighborhood affairs	T5 Social insecurity and the presence of addicts
O50 utilizes NGOs to identify neighborhood problems	T6 Low social contributions
O6 makes it possible to create more interactive spaces	T7 adjacent to Mehrabad Airport and West Terminal as a result of
O7 Creates the activities of groups and institutions	increased environmental pollution
O8 neighborhood credit to other neighborhoods	T8 Gun barrier due to reduced communication and closure of the
O9 valued land prices and commercial properties	neighborhood
O10 Possibility to provide shopping complexes	T9 Little owner's willingness to engage with public organs, such
O11 Provide opportunities for investment	as the municipality
O12 Create neighborhood-specific elements	
O13 Create neighborhood-specific views	M
O14 Performing renovation and improvement of the opportunity	
to organize urban landscape	

Table 4: External factors affecting the livability of District 1 in the region

Strengths	Weakness
S1 The existence of shopping malls and	W1 Lack of equipping and organizing the natural landscape of the neighborhood
complexes	W2 Problems associated with surface water disposal
S2 Infrastructure and Services	W3 There are noise pollution due to Mehrabad airport
S3 The presence of parks and space	W4 class parking deficiency
S4 Presence of the neighborhood and active	W5 There are marginal parks
councils	W6 Public transit weakness
S5 The existence of residential units	W7 The presence of addicts in parks and green spaces of the neighborhood
commensurate with the household size in the	W8 Neighborhood Nexus
neighborhood	W9 Unsafe public places at night
S6 Conducting training and empowerment	W10 was high on household spending
courses in the neighborhood	W11 Existence of extras in building facades
S7 Suitable training and libraries	W12 presence of incompatible industrial activities
S8 Investment in construction of commercial	W13 Indoor inert water and lack of access to pavement surface water.
complexes and shopping centers	W14 There are tooth-shaped openings

Table 5: Internal factors affecting the livability of District 1 in the region

Indices	External factors Authorities					
		Sum	Normalized	Score	Final score	
Environmental	O1	125	0.0378	4	0.151	
	O2	128	0.0387	4	0.155	
	O3	124	0.0375	4	0.150	
	O4	124	0.0375	3	0.112	
Physical infrastructural	05	129	0.0390	4	0.156	
	06	132	0.0399	4	0.160	
	07	131	0.0396	4	0.158	
	08	132	0.0399	4	0.160	
Social cultural	09	117	0.0354	2	0.071	
	O10	116	0.0351	2	0.070	
	011	123	0.0372	1	0.037	
	O12	124	0.0375	2	0.075	
	O13	120	0.0363	2	0.073	
Economic	O14	116	0.0351	1	0.035	
	O15	114	0.0345	1	0.034	
	O16	113	0.0342	1	0.034	
Aesthetic	O17	130	0.0393	3	0.118	
	O18	131	0.0396	3	0.119	
Environmental	T1	108	0.0326	3	0.098	
Physical infrastructural	T2	129	0.0390	4	0.156	
	Т3	133	0.0402	4	0.161	
Social cultural	T4	123	0.0372	1	0.037	
	T5	125	0.0378	1	0.038	
	Т6	118	0.0357	1	0.036	
Economic	T7	102	0.0308	1	0.031	
	Т8	109	0.0330	1	0.033	
Aesthetic	Т9	132	0.0399	4	0.160	
Total	Girm	3308	1.2.4		2.617	

Table 6: Evaluation matrix of external factors in the community of authorities

Internal factors					
Authorities					
		Sum	Normalized	Score	Final score
Environmental	S1	121	0.0317	4	0.095
	S2	125	0.0320	3	0.096
	S3	121	0.0317	4	0.095
	S4	122	0.0320	3	0.096
Physical infrastructural	S5	124	0.0325	4	0.130
	S6	128	0.0335	4	0.134
	S7	129	0.0338	4	0.135
	S8	123	0.0322	4	0.129

Social cultural	S9	130	0.0341	2	0.068
	S10	118	0.0309	2	0.062
	S11	123	0.0322	2	0.064
	S12	116	0.0304	2	0.061
	S13	121	0.0317	2	0.063
Economic	S14	123	0.0322	2	0.032
	S15	124	0.0325	2	0.032
	S16	127	0.0333	3	0.033
Aesthetic	S17	128	0.0335	4	0.134
	S18	127	0.0333	4	0.133
Environmental	W1	120	0.0314	3	0.094
	W2	119	0.0312	3	0.094
	W3	117	0.0307	3	0.092
Physical infrastructural	W4	134	0.0341	4	0.136
	W5	133	0.0348	4	0.139
	W6	119	0.0312	4	0.125
Social cultural	W7	117	0.0307	2	0.061
	W8	116	0.0304	1	0.030
	W9	120	0.0314	2	0.063
Economic	W10	128	0.0335	2	0.067
	W11	115	0.0301	2	0.060
Aesthetic	W12	127	0.0333	4	0.100
	W13	129	0.0338	4	0.101
Total		3817	SIL	İ	

Table 7: Matrix of evaluation of internal factors in the community of authorities

ثر وبشسكاه علوم النابي ومطالعات فربخي

Offensive Strategies (SO)	Revision Strategy (WO)
So1 - Use of neighborhood power in the direction of the stability	Wo1- Definition and implementation of development incentive
and livability of the neighborhood	projects for economic prosperity and the value of finding property
So2- Definition and implementation of development stimulus	in the neighborhood
projects	Wo2- Review of environmental advertising and awareness-
So3- Improvement and reconstruction of streets and buildings	raising activities in the media for introduction
and the coordination of new buildings with them from different	Wo3- Organize and promote public transport system in order to
aspects.	reduce traffic in the neighborhood (w5-w4-w6 o6- o7-8)
So4- Construction of commercial centers and commercial texture	Wo4- Utilize institutions and groups of the people with a
to create livability	participatory approach to solving social problems and harm.
So5- Construction of a hangout and equipping and restoration of	Wo5- Create interactive spaces to improve neighborhood
parks and gardens	relationships

Competitive strategies or diversity (ST)	Defensive Strategies (WT)
St1 Control of marginal parks and class parking in order to solve	Wt1 - Improve security by improving the lighting conditions of
the parking problem and marginal park in the main axis of the	the streets and organizing defenseless urban spaces
area	Wt2 - Improve the traffic situation by preventing marginal parks
St2 - Promoting social security through environmental physical	and winding up the parking rate by 100% per residential building
activity	at the time of licensing.
St3- Using private and public investments to use the potential of	Wt3- Arranging passages in terms of providing lighting and
the region	improving the residential environment in terms of urban defensive
St4 - The use of elements and elements that are appropriate to	points and providing social security to public and public spaces.
the cultural and social conditions of the neighborhood and to	Wt4- Adoption of rules and regulations regarding compliance
enhance the accountability of the inhabitants.	with a homogeneous pattern in accordance with natural and
	climatic and cultural conditions.

Table 8: Strategies for livability in Zone 1 District 9

In the final stage of the quantitative evaluation matrix by comparing the sum of the sum of the score of each of the strategies, they are selected from the high score to the low score, according, to improve the livability rate, three priorities are categorized. Every strategy must be implemented according to their priority. In this way, the major strategies in priority order are as shown in Table 10.

	Score	Strategy	Score	Strategy	Score	Strategy	Score	Strategy
1st priority	57/2	WT2	29/3	WO1	32/3	SO5	36/3	St1
2nd priority	48/2	WO2	49/2	SO42	50/2	SO3	51/2	So2
3rd priority	34/2	SO1	35/2	ST3	44/2	WO3	47/2	Wo4

Table 9: Final Prioritization of Strategies based on Final Attraction Score

Conclusion

The criteria for livability in Zone1 of District 9 whether are there or not, each strength or weakness could reduce or increase livability in the neighborhood. According to the proposed strategies, prioritization of these strategies was considered in terms of their importance and it is concluded from the results that according to the obtained priorities, the strategy of constructing Parking Garage in order to solve the parking problem, and marginal parks, considering the existence of commercial complexes and the highways and highways passing from the neighborhood, are the first priorities in terms of physical and infrastructural aspects to make the neighborhood livable. There is heavy traffic in the streets of Hashemi and Dampezeshki due to marginal parks in these areas. The lack of Parking Garage in a 250-mile radius of these axes has been one of the

main problems in parking. Considering the use of incentive packages in the old urban fabric of District 1 in relation to parking regulations and the change in the parking-supply rate from 100% to 50% in aggregated projects to the basic-density of 180% has caused the parking shortage which needed land ownership by the municipality for construction of Parking Garage.

One of the main problems in each of the three neighborhoods in Zonel Districts is the lack of green space. Providing green spaces and the creation of hangouts plays has an important role in the livability of the residents of the neighborhood, which should utilize the existing potential green spaces and parks and hangouts to be restored in favor of livability of these neighborhoods. Establishing a stop point by installing the benches at the neighborhood near shopping malls and commercial complexes for the social interactions purpose and creating an interactive environment in the neighborhood will address the issue of the neighborhood in order to make the community more socially, culturally and physically friendly.

Definition and implementation of incentive development projects due to the low land prices for economic prosperity and the value of property in the neighborhood can be another strategy that can be effective in the economic livability of the neighborhood. Large scale projects that can be at the neighborhood-level has an impact on the economic, social and cultural sectors and can be effective in providing the services needed by the residents. The Sisatnica project, with merging 105 blocks and about one hectare is an example of such projects that have an impact on the various aspects of the life of the inhabitants of the neighborhoods.

Regarding the promotion of social security in the neighborhood, the strategy for promoting security by improving the lighting conditions of the streets and organizing defenseless urban spaces is another strategy that influences the livability of the neighborhood. In this regard, the importance of nightlife can be improved the security of the neighborhoods which is effective. The large number of alleys, their impenetrability and lighting problems in Dastgheib street, and the incentives for commercial edges that are subject to high incidence (such as the Dampezeshki axis) can be a good step to accelerate renovations. Implementing the rehabilitation projects with public participation can be an effective step to make the neighborhoods livable for the residents.

References

- Arabi, Seyyed Mohammad and Aghazadeh, Hashem and Chegini, Hooshang, 2006, Strategic Planning Course, Tehran Office of Cultural Research.
- Bandar Abad, Alireza (2011), Life-threatening City of Basics to Meanings, Azarakhsh Publications in Tehran.
- Behzadfar, Mostafa, Zamanian, Roozbeh (2008), Strategic planning of tourism development based on product sector, Case study: Neyshabour city, International Journal of Engineering, Volume 19, Number 6, Architecture and urban planning specialty, University of Science and Technology, Tehran, pp. 103-89

- Cities PLUS (2003),» the one system Approach« , Vancouver , Canada,: Cities PLUS
- Cown . Robert (2005), »the dictionary of urbanism« streetwise press.
- Fred R, David (2009), Strategic Management, Ali Parsayian and Seyyed Mohammad Arabi, Fourteenth, Cultural Research Bureau, Tehran.
- Golkar, Cyrus (2005) The Approach of SWOT Analytical Technique for Application in Urban Design, Journal of Sufeh, 15, No. 41, Tehran, pp. 65-44.
- •
- Hajipour, Khalil (2006), "Basin Neighborhood Planning: A Good Approach to Creating Sustainable Urban Management, Fine Arts, No. 26
- Hekmat Nia, Hassan and Mousavi, Mir Najaf, 2011, Application of Model in Geography with Emphasis on Urban and Regional Planning, New Science Publishing.
- Isaam Lam, Ali Asghar (2011) Variety of uses and its position in the stability of urban neighborhoods, thesis of Master's degree in urban engineering, Faculty of Arts and Architecture, Kurdistan University.
- Knox, P.L. (2011). Cities and design. Abingdon: Routledge.
- Mahdizadeh, Javad et al. (2003) Strategic Urban Development Urban Development (Recent World Experience and its Position in Iran), Department of Urban Planning and Architecture, Ministry of Housing and Urban Development.
- Norry, T. and Mary Pittman (2000), "the health community's movement and the coalition for heal their cities and communities", public health reports 115: 118-124;
- Nourbakhsh, Seyyed Fatemeh, 2010, Feasibility of development of ecotourism in Maranjab region with emphasis on geomorphologic forms, Master thesis of geomorphology, Supervisor: Mehran Maghsoudi, University of Tehran, Faculty of Geography.
- Roberts, P. and Sykes, H. (2000). Urban Regeneration, London: SAGE Publication.
- Sasan Pour and others (1393), Urban Resiliency Capabilities for Sustainable Urban Development, Journal of the International Journal of Geographical Society of Iran, No. 42
- •
- Sha'banipour, Koukab, 2011, Strategic planning of tourism development in the Karoon River basin (Case study: Gotvand city), Master thesis, Supervi-

sor: Hasanali Faraji Sorkbar, University of Tehran, Faculty of Geography.

• Timmer And Seymoar (2005), » the livable city «, the world urban forum 2006, Vancouver, Canada,

Appendix 1: Strategic quantitative assessment plan for zona l, District 9

Factors	Importance	Strategie	es for viabili	ty rate							
	coefficient	SO1	i i			SO3		SO4		SO5	
		Score	SUM	Score	SUM	Score	SUM	Score	SUM	Score	SUM
S1	0.0317	3	0.0951	1	0.0317	3	0.0951	1	0.0317	4	0.1268
S2	0.032	3	0.0951	1	0.032	3	0.0951	3	0.096	4	0.1268
S3	0.0317	4	0.1268	4	0.1268	4	0.1268	2	0.0634	4	0.1268
S4	0.032	3	0.0951	3	0.096	2	0.0634	3	0.096	4	0.1268
S5	0.0325	2	0.0634	1	0.0325	4	0.1268	3	0.0975	4	0.1268
S6	0.0335	3	0.0951	3	0.1005	4	0.1268	3	0.1005	4	0.1268
S7	0.0338	1	0.0317	3	0.1014	4	0.1268	3	0.1014	4	0.1268
S8	0.0322	3	0.0951	3	0.0966	4	0.1268	3	0.0966	4	0.1268
S9	0.0341	2	0.0634	2	0.0682	1	0.0317	2	0.0682	2	0.0634
S10	0.0309	2	0.0634	1	0.0309	1	0.0317	1	0.0309	2	0.0634
S11	0.0322	2	0.0634	1	0.0322	2	0.0634	1	0.0322	2	0.0634
S12	0.0304	2	0.0634	2	0.0608	2	0.0634	1	0.0304	2	0.0634
S13	0.0317	2	0.0634	1	0.0317	2	0.0634	1	0.0317	3	0.0951
S14	0.0322	2	0.0634	2	0.0644	2	0.0634	1	0.0322	3	0.0951
S15	0.0325	2	0.0634	2	0.065	2	0.0634	2	0.065	2	0.0634
S16	0.0333	3	0.0951	3	0.0999	2	0.0634	2	0.0666	3	0.0951
S17	0.0335	3	0.0951	3	0.1005	2	0.0634	4	0.134	4	0.1268
S18	0.0333	2	0.0634	3	0.0999	4	0.1268	2	0.0666	4	0.1268
01	0.0378	3	0.0951	3	0.1134	4	0.1268	2	0.0756	4	0.1268
02	0.0387	2	0.0634	4	0.1548	4	0.1268	2	0.0774	4	0.1268
O3	0.0375	3	0.0951	4	0.15	2	0.0634	2	0.075	4	0.1268
04	0.0375	3	0.0951	3	0.1125	1-00	0.0317	3	0.1125	4	0.1268
05	0.039	1	0.0317	2	0.078	2	0.0634	4	0.156	3	0.0951
O6	0.0399	2	0.0634	4	0.1596	10	0.0317	3	0.1197	4	0.1268
07	0.0396	3	0.0951	P	0.0396	4	0.1268	4	0.1584	3	0.0951
08	0.0399	2	0.0634	2	0.0798	3	0.0951	2	0.0798	4	0.1268
O9	0.0354	1	0.0317	2	0.0708	1	0.0317	2	0.0708	1	0.0317
O10	0.0351	1	0.0317	1	0.0351	1	0.0317	1	0.0351	2	0.0634
011	0.0372	1	0.0317	1	0.0372	1	0.0317	1	0.0372	3	0.0951
012	0.0375	2	0.0634	1	0.0375	2	0.0634	2	0.075	2	0.0634
O13	0.0363	2	0.0634	1	0.0363	1	0.0317	1	0.0363	2	0.0634
014	0.0351	1	0.0317	1	0.0351	1	0.0317	1	0.0351	1	0.0317
016	0.0345	1	0.0317	1	0.0345	1	0.0317	1	0.0345	1	0.0317
017	0.0342	1	0.0317	1	0.0342	1	0.0317	1	0.0342	1	0.0317
018	0.0393	1	0.0317	1	0.0393	1	0.0317	1	0.0393	3	0.0951
Total	1		2.3458	1	2.5187		2.5043		2.4928		3.3285

Continued

Factors	Importance	Strategies for viability rate										
	coefficient			WO2	WO2		WO3		WO1		WO5	
		Score	Score	SUM	Score	SUM	Score	SUM	Score	SUM	Score	
W1	0.0314	3	0.0942	1	0.0314	1	0.0314	2	0.0628	1	0.0314	
W2	0.0312	4	0.1256	4	0.1256	3	0.0942	4	0.1248	4	0.1248	
W3	0.0307	4	0.1256	4	0.1256	4	0.1256	4	0.1228	2	0.0614	
W4	0.0341	4	0.1256	2	0.0628	3	0.0942	2	0.0682	1	0.0341	
W5	0.0348	4	0.1256	4	0.1256	4	0.1256	4	0.1392	4	0.1392	
W6	0.0312	4	0.1256	2	0.0628	2	0.0628	2	0.0624	3	0.0936	
W7	0.0307	3	0.0942	2	0.0628	2	0.0628	2	0.0614	2	0.0614	
W8	0.0304	3	0.0942	3	0.0942	3	0.0942	3	0.0912	3	0.0912	
W9	0.0314	3	0.0942	2	0.0628	2	0.0628	2	0.0628	2	0.0628	
W10	0.0335	4	0.1256	2	0.0628	3	0.0942	2	0.067	3	0.1005	
W11	0.0301	3	0.0942	3	0.0942	2	0.0628	2	0.0602	2	0.0602	
W12	0.0333	4	0.1256	4	0.1256	4	0.1256	4	0.1332	4	0.1332	
W13	0.0338	4	0.1256	2	0.0628	2	0.0628	2	0.0676	2	0.0676	
O1	0.0378	4	0.1256	4	0.1256	4	0.1256	3	0.1134	4	0.1512	
02	0.0387	4	0.1256	2	0.0628	2	0.0628	2	0.0774	2	0.0774	
O3	0.0375	4	0.1256	2	0.0628	2	0.0628	2	0.075	2	0.075	
04	0.0375	4	0.1256	4	0.1256	4	0.1256	4	0.15	4	0.15	
05	0.039	4	0.1256	2	0.0628	2	0.0628	2	0.078	1	0.039	
O6	0.0399	4	0.1256	2	0.0628	2	0.0628	2	0.0798	1	0.0399	
07	0.0396	4	0.1256	4	0.1256	4	0.1256	4	0.1584	4	0.1584	
08	0.0399	4	0.1256	2	0.0628	2	0.0628	2	0.0798	2	0.0798	
09	0.0354	2	0.0628	2	0.0628	2	0.0628	2	0.0708	2	0.0708	
O10	0.0351	3	0.0942	2	0.0628	2	0.0628	1	0.0351	2	0.0702	
011	0.0372	3	0.0942	2	0.0628	2	0.0628	2	0.0744	2	0.0744	
012	0.0375	3	0.0942	3	0.0942	3	0.0942	1	0.0375	1	0.0375	
013	0.0363	3	0.0942	3	0.0942	3	0.0942	3	0.1089	2	0.0726	
014	0.0351	3	0.0942	3	0.0942	3	0.0942	1	0.0351	3	0.1053	
015	0.0345	2	0.0628	1	0.0314	1	0.0314	1	0.0345	1	0.0345	
016	0.0342	2	0.0628	2	0.0628	1	0.0314	2	0.0684	1	0.0342	
017	0.0393	2	0.0628	110	0.0314	10	0.0314	1	0.0393	1	0.0393	
018	0.0396	3	0.0942	3	0.0942	3	0.0942	1	0.0396	2	0.0792	
Total	1		3.297		2.4806	1	2.4492		2.479		2.4501	

Continued

Factors	Importance	Strategies for viability rate									
	coefficient	ST1		ST2		ST3					
		Score	SUM	Score	SUM	Score	SUM	Score	SUM		
S1	0.0317	4	0.1268	3	0.0951	3	0.0951	3	0.0951		
S2	0.032	3	0.0951	3	0.096	2	0.064	3	0.0951		
S3	0.0317	4	0.1268	2	0.0634	3	0.0951	2	0.0634		
4 S	0.032	4	0.1268	2	0.064	2	0.064	3	0.0951		
S 5	0.0325	4	0.1268	2	0.065	2	0.065	2	0.0634		
S6	0.0335	4	0.1268	2	0.067	2	0.067	1	0.0317		

0.0634	2	0.0676	2	0.0676	2	0.1268	4	0.0338	S7
0.0951	3	0.0966	3	0.0966	3	0.0951	3	0.0322	S8
0.0634	2	0.1023	3	0.0682	2	0.1268	4	0.0341	9 S
0.1268	4	0.1236	4	0.1236	4	0.1268	4	0.0309	10 S
0.1268	4	0.1288	4	0.1288	4	0.1268	4	0.0322	11 S
0.0951	3	0.0912	3	0.0912	3	0.1268	4	0.0304	12 S
0.1268	4	0.1268	4	0.1268	4	0.1268	4	0.0317	13 S
0.1268	4	0.1288	4	0.1288	4	0.1268	4	0.0322	14 S
0.0951	3	0.13	4	0.0975	3	0.1268	4	0.0325	15 S
0.0951	3	0.0999	3	0.0999	3	0.1268	4	0.0333	16 S
0.0951	3	0.1005	3	0.1005	3	0.1268	4	0.0335	17 S
0.0951	3	0.0999	3	0.0999	3	0.1268	4	0.0333	S18
0.0317	1	0.0326	1	0.0326	1	0.1268	4	0.0326	T1
0.0634	2	0.039	1	0.078	2	0.1268	4	0.039	2 T
0.0634	2	0.0804	2	0.0804	2	0.1268	4	0.0402	3 T
0.1268	4	0.1488	4	0.1488	4	0.1268	4	0.0372	4 T
0.0317	1	0.0378	1	0.0378	1	0.1268	4	0.0378	5 T
0.0634	2	0.0357	1	0.0357	1	0.1268	4	0.0357	6 T
0.0951	3	0.0924	3	0.0924	3	0.1268	4	0.0308	7 T
0.0634	2	0.066	2	0.066	2	0.1268	4	0.033	8 T
0.0634	2	0.0798	2	0.0798	2	0.1268	4	0.0399	9 T
2.2507		2.3587	1	2.3314	CK.	3.3602			Total

	Importance	Strategies for	Strategies for viability rate									
	coefficient	WT1	1	WT2		WT3		WT4				
		Score	SUM	Score	SUM	Score	SUM	Score	SUM			
w1	0.0314	3	0.0936	4	0.1256	3	0.0942	3	0.0942			
w2	0.0312	3	0.0936	4	0.1256	3	0.0942	2	0.0628			
w3	0.0307	3	0.0936	4	0.1256	4	0.1256	4	0.1256			
4 w	0.0341	4	0.1248	4 62	0.1256	4	0.1256	3	0.0942			
w 5	0.0348	4	0.1248	4	0.1256	4	0.1256	4	0.1256			
w6	0.0312	4	0.1248	4	0.1256	4	0.1256	4	0.1256			
w7	0.0307	2	0.0624	3	0.0942	4	0.1256	3	0.0942			
w8	0.0304	1	0.0312	4	0.1256	1	0.0314	1	0.0314			
9 w	0.0314	2	0.0624	4	0.1256	2	0.0628	2	0.0628			
10 w	0.0335	2	0.0624	4	0.1256	4	0.1256	4	0.1256			
11 w	0.0301	2	0.0624	3	0.0942	4	0.1256	4	0.1256			
12 w	0.0333	4	0.1248	4	0.1256	4	0.1256	4	0.1256			
13 w	0.0338	4	0.1248	4	0.1256	4	0.1256	4	0.1256			
T1	108	3	0.0936	3	0.0942	3	0.0942	3	0.0942			
2 T	129	4	0.1248	4	0.1256	4	0.1256	4	0.1256			
3 T	133	4	0.1248	4	0.1256	4	0.1256	4	0.1256			
4 T	123	1	0.0312	3	0.0942	1	0.0314	1	0.0314			
5 T	125	1	0.0312	3	0.0942	1	0.0314	3	0.0942			

6 T	118	1	0.0312	3	0.0942	1	0.0314	1	0.0314
7 T	102	1	0.0312	4	0.1256	1	0.0314	3	0.0942
8 T	109	1	0.0312	4	0.1256	1	0.0314	1	0.0314
9 T	132	4	0.1248	4	0.1256	4	0.1256	4	0.1256
Total			1.8096		2.5748		2.041		2.0724



HOW TO CITE THIS ARTICLE

Azizidoost, A. & Shababani, M. & Serajiaghdam, S (2019). The livability measurements in the old urban fabric of Zone 1 in District 9, Tehran, 3(5): 50-65 DOI: https://dx.doi.org/10.22034/soc.2019.84452 URL: http://soc.gpmsh.ac.ir/article_84452.html

