

Optimizing Telecommunications Network Performance through Big Data Analytics: A Comprehensive Evaluation

Leena Sameer Baddour

Al-Turath University, Baghdad 10013, Iraq.

Email: leena.sameer@uoturath.edu.iq

Faisal Ghazi Abdiwi

Al-Mansour University College, Baghdad 10067, Iraq.

Email: faisal.ghazi@muc.edu.iq

Moldoiarov Ularbek Duishobekovich (Corresponding author)

Osh State University, Osh City 723500, Kyrgyzstan.

Email: ular@oshsu.kg

Mahmood Jawad Abu-AIShaeer

Al-Rafidain University College Baghdad 10064, Iraq.

Email: prof.dr.mahmood.jawad@ruc.edu.iq

Ghanim Magbol Alwan

Madenat Alelem University College, Baghdad 10006, Iraq.

Email: dr.ghanim.m.alwan@mauc.edu.iq

| Received: 2025 | Accepted: 2025

Abstract

Background: The telecommunication industry is currently witnessing an unparalleled growth in traffic data with a concomitant growth in the complexity of networks. As operators seek to achieve high availability of the networks, it is almost compulsory to employ the BDA for improved quality of service and increased operational performance.

Objective: The study aims to provide a systematic review of the deployment of BDA in enhancing the primary characteristic indicators of telecommunications networks, to include availability of upgraded latency and throughput levels and network dependability.

Methods: The research method used was summed up by quantitative analyses of the key performance parameters of the networks, along with the qualitative results of case studies conducted with major telecommunications operators.

Iranian Journal of
**Information
Processing and
Management**

Iranian Research Institute
for Information Science and Technology
(IranDoc)

ISSN 2251-8223

eISSN 2251-8231

Indexed by SCOPUS, ISC, & LISTA

Special Issue | Summer 2025 | pp.1149-1177

<https://doi.org/10.22034/jipm.2025.728401>



Information was collected from multiple networks as well as analyzed with the use of machine learning to be able to predict possible performance issues.

Results: The study demonstrates that there is the possibility for reducing latency utilizing BDA with enhancements of up to 40%. In addition, the throughput has been raised by an average of 30% and the predictable analytics lead to 25% reducing in network downtime to improve the reliability and satisfaction of the user experience.

Conclusion: The information provided in this study highlights the importance of Big Data Analytics for the telecommunication industry, proving that the proper integration can bring tangible improvements to the existing networks. One future development that constitutes the need for innovative analytical technologies is the rise in data traffic and sophisticated network requirements.

Keywords: Big Data Analytics, Telecommunications, Network Performance, Latency, Throughput, Reliability, Predictive Analytics, Machine Learning, Data Traffic, Optimization.

1. Introduction

With the increasing complexity of network architectures and the exponential growth of data traffic due to the adoption of new technologies, telecommunications operators are continuously seeking ways to maintain the overall health of existing networks at acceptable levels. As 5G is being deployed and 6G networks become the focus of research, the demand for high-speed, reliable, and efficient communication systems continues to push technological frontiers. Big Data Analytics (BDA) has emerged as an essential tool for telecommunications companies to leverage their available data, enhancing decision-making processes and performance.

BDA encompasses various data analytical techniques that facilitate the extraction of meaningful insights from massive datasets. In the telecommunications industry, this capability is critical, as every action within a network directly impacts customer-perceived quality and network operational efficiency. Data-driven methods have proven highly effective for network optimization and highlight the need for forthcoming demand management strategies (Ma, Guo, and Zhang 2020; Makarenko 2023).

BDA not only assists in performance monitoring but also plays a crucial role in developing frameworks to manage the performance of mobile networks. Structural BDA frameworks enable real-time monitoring and performance assessment, resulting in increased resiliency and adaptability to the continually evolving business environment (Martinez-Mosquera, Navarrete, and Luján-Mora 2020). These systems are invaluable for

operators, as they help prevent problems from occurring, thus reducing downtime and enhancing the user experience (Hashim et al. 2020).

The rapid implementation of Big Data technologies has led to an evolution of existing architectures in telecommunications. BDA adoption is essential for remaining competitive as operators contend with rising operational costs and growing customer demand (Zayyad 2022). Optimization and operational efficiency enabled by BDA allow operators to innovate in service delivery.

Furthermore, advances such as cloud computing and the increasing number of Software-Defined Networking (SDN) deployments provide additional opportunities for comprehensive data management solutions (Nameer, Ali, and Moath 2015). However, well-organized data management across multi-cloud data centers is crucial for enhancing telecommunications services, making operators more flexible and scalable in response to varying demand rates (Chaudhary et al. 2018). This capability is essential for BDA, which necessitates resilient infrastructure for efficient processing and analysis of large datasets.

Despite the potential benefits of BDA, the telecommunications sector faces several challenges in its efficient implementation. These challenges include data privacy concerns, the demand for specialist analytical skills, and the integration of diverse data sources (Leliopoulos 2023). Strategies to overcome these challenges must be adopted at the BDA level to ensure that telecommunications companies can harness the power of BDA without compromising security or operational integrity.

Recent studies emphasize the extensive utilization of BDA in the telecommunications domain. BDA plays a key role in enhancing network performance and maintaining customer satisfaction, as demonstrated by its integration into 5G mobile networks (Zahid et al. 2020). BDA is pivotal in navigating the future of telecommunications as operators embrace next-generation networks (Qasim 2022).

The monitoring process enabled by integrating Big Data Analytics in telecommunications is fundamental for optimizing network performance. However, as this field evolves, genuine collaboration and partnerships will be necessary to surmount obstacles and capitalize on the benefits that BDA offers. These analytics will be refined and applied in ways that significantly improve operational performance, foster innovation, and ultimately, lead to the development of a more reliable, robust, and resilient telecommunications

infrastructure capable of supporting the increasing demands of the digital world of tomorrow (Mohit 2019).

1.1. Research Objective

This article aims to explore the utilization of Big Data Analytics (BDA) in enhancing network performance within the telecommunications industry. With the current growth in data traffic and increasingly complex network infrastructures, the industry must find novel ways to optimize operations for enhanced reliability and quality of experience. New technologies present unique opportunities, and the next decade will necessitate significant further development of the associated technologies, systems, and processes to enable these new approaches to reach their full potential. By examining diverse BDA approaches and their ramifications for network administration, this paper seeks to provide a foundation from which telecommunications providers may address emergent challenges. Furthermore, the research will outline empirical findings from case studies conducted within the industry, emphasizing best practices and successful BDA implementations. Ultimately, this article seeks to contribute to the ongoing discussion on the transformative role BDA can play in telecommunications, an industry that has thus far embraced both the challenges and solutions inherent in such a fiscal and technological transformation, benefiting both practitioners and scholars alike.

1.2. Problem Statement

From the complexities of modernizing network demands to the explosion of data traffic, the telecommunications sector faces significant challenges. Real-time management and optimization of network performance have been identified as major issues. Legacy monitoring and management practices tend to be reactive, resulting in significant downtime and negatively impacting user experience. As the demand for mobile data services continues to soar, along with the ever-growing number of connected devices, operators are widely challenged to provide seamless connectivity while minimizing latency and maximizing throughput.

Moreover, the amount of data produced by network activities makes it difficult to derive actionable insights. Existing systems fail to deliver on the promise of missed opportunities in G2G performance improvement due to the scale of incoming data. Dispersed data sources that are not integrated result

in more analyses left to be done and no way to make proactive decisions. Additionally, there are barriers to the adoption of BDA within telecommunications, such as concerns around data confidentiality, security, and the availability of qualified professionals to analyze intricate data sets.

Furthermore, the absence of a structured framework for BDA implementation has led to inconsistent data management practices at many telecom companies. This fragmentation results in gaps in achieving the full potential of analytics, hindering advancements in enhancing network operations. Without addressing these multi-dimensional issues, telecommunications operators will not be able to optimally utilize BDA to increase network performance and service delivery.

2. Literature Review

Telecommunications service providers (TSPs) have widely adopted Big Data Analytics (BDA) in recent years and several studies highlight its role in improving network performance and customer experience. Shongwe et al. about BDA in the telecommunications industry to be used for enhancing customer service, highlighting its importance in both personalizing users from the moment of account creation and real-time support systems (Shongwe, Malatji, and Pretorius 2022). Importantly, they find evidence BDA derived insights generate superior customer engagement and satisfaction. However, this study touches mainly upon customer service metrics but fails to capture both performance implications on the underlying network reasonably well. As a result, it neglects addressing how BDA can be integrated into the wider scope of network management to balance operational efficiency and service delivery (Qasim et al. 2024).

Additionally, Dhasaratham (2023) explored the optimization of mobile cellular networks through BDA techniques within the framework of 5G technologies, demonstrating the significance of BDA in enhancing network performance and managing large data volumes (Dhasaratham 2023). However, this research did not consider the potential of utilizing fuzzy logic methods to further improve data management. In contrast, Manogaran et al. (2021) proposed a technique for fuzzy optimized data management to enhance BDA applications (Manogaran et al. 2021). While their research shows promise, further exploration is needed to validate these techniques in real-world networks where devices continually communicate, and network

topology is dynamic (Ageyev 2015).

In their examination of optimizing networks with big data and uncertain data, Li et al. (2020) highlighted that data uncertainty obstructs effective decision-making processes (Li et al. 2020; Ageyev 2014). Their results suggest the need for more sophisticated models that account for this uncertainty. However, existing literature has not sufficiently addressed how these uncertainties can be mitigated in the context of telecommunications. Jiang et al. (2020) argue that state-of-the-art machine learning algorithms capable of handling uncertain data may provide solutions (Jiang et al. 2020; Mushtaq, Ali Ihsan, and Qasim 2015). While their insights into network behavior for Industry 4.0 applications are valuable, they offer limited guidance for the practical implementation of such heuristics within the telecommunications domain (Sieliukov 2022).

Chen et al. (2022) made a case for geo-distributed data centers by proposing an approach focused on optimizing network data transfer in analytic jobs, thereby improving data transfer efficiency with distributed computing (Chen, Liu, and Li 2022). However, they did not provide a comprehensive consideration of the consequences for dynamic real-time chain performance, which telecommunications operators seek for actionable value.

Jekov et al. (2021) presented constructive aspects and challenges of BDA in the telecommunications sector, highlighting issues such as data privacy, integrating new data sources, and implementing analytics as major barriers (Jekov et al. 2021). A methodology that addresses these challenges while focusing on security and interoperability across different data management systems is necessary to ensure sensitive data is kept secure while maintaining functionality (Qasim et al. 2021; Fatah and Qasim 2022).

Balaram and Prabhu (2023) proposed a network management framework for 5G networks using Artificial Intelligence and BDA to optimize customer experiences. While their framework shows promise, it must be practically applied and empirically validated to determine its applicability (Balaram and Prabhu 2023).

There is a need for ontology, text mining, and big data visualization frameworks in domain-specific applications, as well as BDA PKMS frameworks, to add a competitive advantage to organizations while addressing existing gaps in BDA. As focus on real-time applications for BDA

increases, underlying frameworks must account for differences in telecommunications and network functions to successfully deploy BDA for improving network performance, addressing security and operational issues, and more. Empirical studies testing theoretical models in actual environments will be vital for making valuable contributions to the ongoing debate on how BDA can enhance telecommunications networks.

3. Methodology

This study aims to investigate the application of Big Data Analytics (BDA) in improving telecommunication networks. Employing a mixed-methods design that incorporates both quantitative and qualitative data collection methods provides a comprehensive understanding of the extent to which BDA optimizes telecommunications operations.

3.1. Data Collection

The data was collected via a structured process employing interviews, case studies, and the review of performance metrics. The study featured 30 semi-structured interviews with network engineers, data analysts, and executives from 10 telecommunications companies. Interview participants were selected based on their significant experience in BDA applications and network management, providing a varied perspective about BDA implementation, encountered challenges, and perceived benefits.

Along with the interviews, five extensive case studies were also examined. The cases were selected for innovative practices in BDA integration and the availability of detailed on performance data. In fact, the case studies covered a wide range of industries, including a myriad of business case services such as mobile, broadband, and enterprise solutions. Performance metrics—some dating back 12 months before and after BDA implementation—were analyzed.

3.2. Quantitative Analysis

This quantitative exploration has been designed to critically determine the positive relationship of Big Data Analytics (BDA) usage on the process areas of key performance indicators (KPIs) in the telecommunication industry. This is essential to demonstrate the utility of BDA in terms of network performance, as it enables empirical evidence of latency, throughput, and

reliability. The sections below summarize the approach regarding how data was collected, what metrics were analyzed, and what statistical methods were used to draw useful conclusions.

3.2.1. Data Collection and Preparation

To analyze the quantitative data, performance records were collected from telecommunications firms for six months before and after the implementation of Big Data Analytics (BDA). Data collection involved three key performance indicators (KPIs):

1. Latency (L): Measured in milliseconds (ms), latency represents the time data packets take to travel from the source to their destinations across the network. Lower latency indicates a faster network response, which is crucial for applications that require real-time communication.
2. Throughput (T): Throughput is a metric that measures the amount of successful data delivery over a communication channel, expressed in megabits per second (Mbps). High throughput ensures that larger volumes of data are delivered efficiently in high-demand environments.
3. Network Uptime (U): Expressed as a percentage, network uptime indicates the reliability of the network by measuring the extent to which the network is operational for users. This metric provides insights into network infrastructure and management.

Subsequently, the data was pre-processed to ensure its accuracy. This involved cleaning the data, removing outliers, and normalizing the metrics for easier comparison.

3.2.2. Performance Metrics Analysis

The analysis of performance metrics was conducted using the following equations, which quantify improvements in each KPI following BDA implementation:

1. Latency Improvement (LI):

$$LI = \frac{L_{before} - L_{after}}{L_{before}} \times 100 \quad (1)$$

This equation calculates the percentage reduction in latency, providing insights into the effectiveness of BDA in speeding up data transmission across the network.

2. Throughput Improvement (TI):

$$TI = \frac{T_{before} - T_{after}}{T_{before}} \times 100 \quad (2)$$

This calculation assesses the increase in throughput, illustrating how BDA has enhanced the capacity of the network to handle data traffic.

3. Uptime Improvement (UI):

$$UI = \frac{T_{before} - T_{after}}{T_{before}} \times 100 \quad (3)$$

This equation measures the enhancement in network uptime, reflecting the reliability and stability achieved post-BDA implementation.

4. Overall Performance Improvement (OPI):

$$OPI = \sqrt{LI^2 + TI^2 + UI^2} \quad (4)$$

The OPI equation combines the improvements in latency, throughput, and uptime into a single composite metric, providing a holistic view of BDA's impact on network performance.

3.2.3 Statistical Analysis

Statistical testing for the significance of the observed changes in performance metrics the main technique used for analysis was Analysis of Variance (ANOVA). This approach was selected to assess whether significant differences in mean values of the performance metrics existed (i.e., with and without BDA).

The F-statistic for the ANOVA test is calculated as follows:

$$F = \frac{SSB / (k-1)}{SSW / (N-k)} \quad (5)$$

Where *SSB* is the sum of squares between groups, indicating the variance due to the interaction between the different groups (pre- and post-BDA); *SSW* is the sum of squares within groups, representing the variance within each group; *k* is the number of groups (in this case, 2: pre-BDA and post-BDA), and *N* is the total number of observations.

A significance level of $p < 0.05$ was established to determine the statistical relevance of the findings. Additionally, post-hoc tests such as Tukey's HSD (Honest Significant Difference) were utilized to identify specific pairs of groups that exhibited significant differences in performance metrics.

3.3. Qualitative Analysis

The qualitative analysis presented here is intended to supplement the quantitative findings by providing insight into the implications and challenges

of adopting Big Data Analytics (BDA) in telecommunications systems. The aim of this analysis is to provide interpretations of findings derived from structured interviews with industry experts and case studies, finding trends, themes and trends that help to inform the application and potential impact of BDA in the enhancement of the performance of the future network.

The qualitative data were collected through 30 structured interviews with telecommunications professionals, including network engineers, data analysts and management executives from 10 telecommunications companies. The interviews followed a semi-structured format that provided the flexibility for responses but still covered key topics. During the interviews, the common themes included current BDA practices, implementation challenges, expected benefits, and future direction. The interviews were semi-structured where participants were asked to describe the use of BDA in their organization, challenge faced through integration, benefit gained, and opinions on future technologies.

Qualitative data were systematically analyzed using thematic analysis. This process started with transcribing all interviews to ensure that participants' sentiments were accurately captured. The transcripts were read multiple times to familiarize researchers with them, as well as to carry out some preliminary coding for notable phrases, key words, and concepts. These preliminary codes were then clustered into larger themes through an iterative process.

Migration and integration of data and changing skills and training needs; the role of BDA in decision-making; and other enhancers of customer experience were some of the key themes brought forward in the analysis. Integrating Diverse Data Sources to Get a Holistic View of Network Performance: — Many participants stressed the need to bring together multiple data sources to accomplish a complete understanding of network performance, reiterating that data silos remained a major impediment to good analytics. Another frequent note was the shortage of talent that could analyze large data sets and deploy BDA solutions, showing the need for specific training programs.

Most interviewees reported that decision-making processes had been greatly improved through the use of BDA within their organizations. The use of real-time analytics enabled proactive measures to address network issues, leading to increased operational efficiency and minimized downtime.

Respondents also recognized that big data analytics (BDA) was a key contributor in improving customer experience, through personalized offerings and greater responsiveness in customer services.

Feedback from participants in follow-up sessions helped refine the themes and provided insight on what items accurately represented the collective insight of the interviewees. Qualitative insights were followed by quantitative data integration complemented to provide a comprehensive perspective on the BDA impact on telecommunications network performance. This enabled triangulation whereby qualitative results underpinned the quantitative performance gains in terms of latency, throughput, and uptime, illuminating how particular BDA practices contributed to the enhancement.

Qualitative analysis yields implications for practice within the telecommunications industry. Reinforce strategies: Organizations need to formulate a clear strategy for integrating BDA into core business functions alongside efforts to overcome data integration challenges and address skill gaps. It is also important to invest in analytical training programs in order to create and reinforce the culture that you want. Telecom companies must also focus on harnessing BDA to optimize customer experience, enabling them to stand out in a competitive field, leading to improved customer satisfaction and loyalty. And finally, the dynamic nature of the telecommunications industry demands a continuous review and adjustment of the BDA strategies to ensure alignment with evolving trends and challenges.

3.4. Hypothesis

The hypothesis is a key part of this study, it highlights a verifiable claim about the anticipated results of applying Big Data Analytics (BDA) in telecommunications networks. Central some prediction driving this work is: H1: Telecommunications Networks that are deployed with Big Data Analytics show a statistically meaningful improvement over their performance metrics (latency, throughput, reliability).

3.4.1. Rationale Behind the Hypothesis

This hypothesis is based on some crucial assumptions from the existing literature and practical observations in the telecommunications field:

Enhancing Decision Making Ability: The implementation of BDA is expected to drive improved decision-making processes. Telecommunications

operators can analyze the huge volumes of data in real time and act pre-emptively in mitigating common network problems, optimally utilize resources, and adapt quickly to the changing scenarios. There is extensive evidence from past research that data-driven decision making leads to considerable gains in operational efficiency (Martinez-Mosquera, Navarrete, and Luján-Mora 2020).

Optimization of Network Performance: BDA presents advanced analytical tools and techniques like machine learning and predictive analytics, which cater to optimizing network performance. BDA helps to optimize network performance by providing insights into traffic patterns, enabling operators to identify potential bottlenecks and take corrective action before they impact the quality of service. Such a proactive approach is consistent with the results presented by Ma et al. (2020) on how data-driven optimization strategies could also bring benefits to 5G networks (Ma, Guo, and Zhang 2020).

Enhancement of Latency and Throughput: The primary goal of implementing BDA in telecommunications is to minimize latency and maximize throughput. **Latency:** Latency is the time delay in data transfer, which is integral to the user experience, especially for applications that require real-time communication. This will greatly reduce latency since BDA is used to smooth the triangular road of data flow and utilize the available bandwidth. Along with throughput — that is, the amount of transmitted data over a period of time — can also be enhanced with BDA, improving the efficiency of the network traffic.

Increased Reliability and Uptime: Reliability is critical to telecommunications since downtime can be greatly damaging to service providers and their customers. BDA supports 24/7 visibility into and analysis of network performance so that operators can detect issues and take rectification steps well before they cause service disruption. This indeed predictive capability should improve the overall network, thus leading to higher network uptime measurements.

3.4.2. Sub-Hypotheses

For a more precise analysis of the effect of BDA on network performance, the following sub-hypotheses will also be examined:

H1a: the BDA will lead to a significant decrease in average latency in telecom networks.

H1c: BDA implementation increases telecommunications networks reliability, measured as network uptime.

The hypotheses and sub-hypotheses will then be tested using a solid method of both quantitative and qualitative analysis functions. The quantitative analysis will employ statistical tests such as ANOVA and paired t-tests to assess statistical significance in the observed changes in latency, throughput, and reliability metrics pre- and post-BDA deployment. Interviews from a diverse range of industry sources will provide qualitative data that will help either support or refute the findings measured quantitatively.

Through a clear articulation of the hypothesis and the rationale for this hypothesis, this study seeks to provide evidence of value regarding the use of BDA to enhance telecommunications network performance. The expected outcomes will both validate the hypothesis and provide insights into the current state of BDA implementation in the telecommunications sector to inform the strategies of industry players and stakeholders in subsequent efforts towards BDA adoption.

Ethical Standards Approval for data collection was obtained from the IRB (Institutional Review Board). Informed consent was obtained from all participants, who were fully aware of the study's purposes before participating. All the interviewees had their identities and proprietary information held confidential and secure.

The framework draws from existing literature to inform BDA as a direction of implementation. For example, Martínez-Mosquera et al. (2020) proposed a universal BDA-based performance management framework for mobile networks with a focus on structured data integration and analysis (Martinez-Mosquera, Navarrete, and Luján-Mora 2020)(Martinez-Mosquera, Navarrete, and Luján-Mora 2020)(Martinez-Mosquera, Navarrete, and Luján-Mora 2020)(Martinez-Mosquera, Navarrete, and Luján-Mora 2020)(Martinez-

Mosquera, Navarrete, and Luján-Mora 2020)(Martinez-Mosquera, et al. 2020)(Martinez-Mosquera, et al. 2020)(Martinez-Mosquera, Navarrete, and Luján-Mora 2020). Ma et al. (2020) emphasized the significance of machine learning approaches towards proactive network optimization, suggesting that flexible analytical frameworks are needed in telecommunications(Ma, Guo, and Zhang 2020)(Ma, Guo, and Zhang 2020)(Ma, Guo, and Zhang 2020)(Ma, Guo, and Zhang 2020)(Ma, Guo, and Zhang 2020)(Ma, et al. 2020)(Ma, et al. 2020) . This study advances the robustness of methodology by incorporating these models while simultaneously illustrating the difficulties of optimizing network performance using BDA.

4. Results

4.1. Quantitative Analysis Results

This rigorous quantitative study assesses the impact of BDA in terms of performance changes in network performance metrics before and after the implementation of BDA. Such a measurement is key to realizing the real-world advantages of BDA in telecommunications. The data was collected over a period of 12 months and covered 10 different telecommunications companies with a variety of services, such as mobile networks, broadband and enterprise. To quantify the impact of BDA on network efficiency and user satisfaction, we analyze the following performance metrics.

4.1.1 Performance Metrics Overview

The results of quantitative analysis present drastic changes in the network performance parameters after implementing Big Data Analytics (BDA). To understand the influence that BDA has had in telecommunications landscape, this analysis will review performance metrics, such as latency, throughput, uptime, and customer satisfaction ratings. These data span a period of 12 months and included information from 10 telecommunications companies whose service offerings ranged from mobile networks to broadband services, and also to enterprise solutions. These metrics that demonstrate the performance improvements before and after the integration of BDA into network management strategies are comparing in Figure 1, with metrics statistical significance ($p\text{-value} < 0.001$) across the board.




Figure 1. Analysis of Network Performance Metrics Pre- and Post-Big Data Analytics Implementation

The results show significant improvements across all major KPIs. Average latency fell from 45.8 ms, down to 28.2 ms, a 38.6% improvement. The throughput improved from 55.4 Mbps to 73.2 Mbps, an increase of 32.1%. Uptime increased from 92.5% to 97.8%, making reliability increase by 5.7%. This has driven customer satisfaction ratings up to 4.1 from a previous 3.4, indicating a solid 20.6% rise in the user experience.

These metrics illustrate and emphasize the performance improvement given by BDA. The significant decrease in latency also suggests a potential for lower latency applications that require real time data transfers. This rise in throughput indicates an improved ability to process data, which is critical in order to accommodate the demands of an increasing number of users. Furthermore, the uptime percentage after the implementation demonstrates higher reliability and better user satisfaction. The data not only supports hypothesis validation, but also regulatory deployment of BDA as a key enabler of improved operational effectiveness and customer engagement in the telecommunications sector.

According to the analysis, BDA will potentially revolutionize the way telecommunications operations work. These insights can be utilized by the telecommunications firms to advance their service offerings. To optimize resource allocation dynamically, companies, for example, can implement advanced predictive analytics to foresee usage patterns. Establishing continuous monitoring and analysis of these performance metrics will help

sustain the improvement achieved and respond more rapidly to new challenges. Moreover, it will be necessary to enhance the skills of employees to be data literate in order to reap the value of BDA. Organizations need to proactively invest towards training-related efforts that foster such analytical capabilities so its staff can effectively interact with BDA tools and technologies to deliver sustainable improvements in network performance and customer satisfaction.

4.1.2. Detailed Performance Improvements

Responses to the Operationalization of BDA474 There were significant improvements in performance metrics Key Analytical Queries Action ### for BDA47 47 service scenarios. A closer analysis of the data suggests that BDA has had a significant positive impact on the latency, throughput, and uptime reliability of nodes, essential particularly in high-demand environments and urban locations. This table summarizes the detailed performance improvements in latency, throughput, and uptime observed in all three systems with contextual comments illustrating what factors contributed to the performance enhancements observed.




Figure 2. Analysis of Performance Improvements Post-BDA Implementation

Average latencies dropped from 55 ms to 30 ms, an improvement of 45.5%, and was most noticeable during peak usage hours. The gains highlight the effectiveness of BDA in handling high-demand situations that

allow networks to remain responsive even during times of high demand.

The improvements in throughput were particularly evident in urban areas, where data traffic is usually heavier. Average throughput across these areas grew from 50 Mbps to 80 Mbps, indicating an impressive 60% capacity gain. This means that BDA is key to improving the network's capacity to process large data at the speed necessary for urban customers who seek devices that support high-speed access.

In addition, service interruptions decreased significantly as uptime reliability increased with downtime reports being reduced on average from 3.5 hours/month before BDA implementation to only 1.5 hours/month post-BDA implementation. This decrement indicates a much more stable network environment, which is a contributory factor for preserving customer satisfaction and loyalty in a competing telecoms landscape.

Moreover, customer satisfaction ratings showed a remarkable increase from 3.4 to 4.1, indicating a 20.6% improvement in user happiness. This increase is due to the decreased latency, higher throughput, and increased uptime leading to a better customer experience.

BDA not only enables operational performance optimizations but also builds a closer relationship between service providers and their customers, according to the data. These findings serve as a blueprint for telcos to deepen their BDA initiatives for ongoing network performance and customer satisfaction benefits. Regular review and modification of BDA implementations will be essential for maintaining these performance improvements and adapting to the rapidly changing telecommunications market.

4.1.3. Statistical Analysis

In order to evaluate the statistical significance of the observed changes in telecommunications network metrics after the application of Big Data Analytics (BDA), an analysis of variance (ANOVA) was performed. This statistical technique measures the difference in means between multiple groups, which helps understand the effect of BDA on network performance improvement. ANOVA results are shown in the table below, showing differences in pre- and post-BDA implementation performance metrics.

Table 1. ANOVA Results for Performance Metrics Comparison Before and After BDA Implementation

Source of Variation	Sum of Squares (SS)	Degrees of Freedom (df)	Mean Square (MS)	F-Statistic	p-Value
Between Groups	4603.21	1	4603.21	25.34	< 0.001
Within Groups	15322.67	58	263.82		
Total	19925.88	59			

From the ANOVA table, it can be observed that the Big Data Analytics (BDA) feature has an F-statistic of 25.34 with a p-value of less than 0.001, confirming that BDA significantly impacts the overall metrics ($p < 0.05$). This indicates that the improvements in latency, throughput, and uptime are not due to random variation but are likely caused by the strategic implementation of BDA.

Subsequent testing using Tukey's HSD revealed significant differences for all pre- and post-BDA metrics pairwise comparisons ($p < 0.05$). These performance improvements, as a lower latency, higher throughput, and increased uptime can be attributed to the implementation of BDA.

These results support the initial hypothesis and provide compelling evidence for telecommunications companies to invest further in BDA initiatives. Effective utilization of BDA enables organizations to achieve sustainable growth in network performance, which is crucial in an industry characterized by rapid changes and intense competition. However, there remains scope for improvement in future processes, particularly in optimizing performance metrics and fostering continuous data-driven decision-making to enhance customer satisfaction through BDA applications.

4.2. Qualitative Analysis Results

4.2.1. Key Themes Identified

Big Data Analytics (BDA) is rich of embellished qualitative analysis with suitable telecommunications network performance implementations. The interpretation of structured interview data through thematic analysis revealed multiple important themes which explain both the barriers and benefits of BDA adoption. Thirty themes were revealed indicating a diversity of experiences and viewpoints on the influence of BDA on operational effectiveness and

customer engagement through in-depth interviews with industry professionals. The table 4 below highlights the major themes identified: the percentage of respondents who discussed each theme during their interviews.

Table 2. Key Themes Identified from Qualitative Analysis of BDA Implementation

Key Theme	Description	Percentage of Respondents (%)
Data Integration and Management	Necessity for seamless integration of diverse data sources; challenges from data silos.	75
Skill Gaps and Training Needs	Identification of skill gaps within organizations; concerns about training adequacy.	80
Impact on Decision-Making	Enhancement of decision-making processes through access to real-time analytics.	70
Customer Experience Enhancement	Improvement in customer experiences via personalized services and increased responsiveness.	85
Strategic Alignment and Future Direction	Need for alignment between BDA initiatives and organizational goals for effective implementation.	65

The thematic results highlight the significant elements of BDA implementation that telecom companies should focus on. More than three-quarters of respondents (77.78%) noted the data integration and management is critical and those organizations are able to break down data silos can dramatically improve analytical efforts. It indicates that organizations will need to invest in strong data integration efforts to take some of the benefits of BDA.

The most concerning factor was skill gaps, with 80% of all interviewees being unsatisfied with the current training regime. Moreover, it highlights the urgent necessity for organizations to invest resources into quality training programs to ensure that employees develop the requisite capabilities to leverage big data and analytics BDA technologies successfully

70% of participants claimed that the analytics made available in real-time aided faster and more informed decisions, as the decision-making time was reduced by hours to minutes. Such efficiency translates into better operational performance and quicker response to network problems.

This contribution was complemented by improved customer experience metrics as 85% of BDA respondents stated it had heavily influenced customer service metrics, leading to increases in satisfaction and retention. This finding is consistent with the quantitative results indicating improved customer satisfaction ratings post BDA implementation.

For example, 65% of our interviewees emphasized the importance of aligning BDA initiatives with broader organizational goals, which is a theme around strategic alignment. Marrying this respective alignment is important to make sure that BDA efforts are aligned with the overall goals of your business.

Not only do these insights validate the quantitative findings, but they also provide actionable recommendations for telecommunications firms. Organizations must build a robust data-driven culture, including whether integration; priority training; improved decision-making; customer-related interactions; and aligning BDA initiatives to the overall strategic goals of the company to maximize the returns on Big Data Analytics investments.

4.2.2. Implications for Practice

Based on the qualitative insights drawn from the interviews, there are some tangible implications for practice in the telecommunications industry. These implications emphasise the strategic actions that organisations must take to improve their BDA initiatives to enhance performance and customer satisfaction. The implications along with associated strategies and recommended actions that firms can take to improve their BDA practices are summarized in the following table as well.

Table 3. Implications for Practice Based on Qualitative Insights from BDA Implementation

Implication	Description of Actionable Strategies	Percentage of Respondents Emphasizing This Action (%)
Strategic Implementation of BDA	Develop clear integration strategies to overcome data challenges; foster a culture of analytics.	75
Investment in Training	Prioritize robust training programs to equip staff with analytical skills essential for BDA.	80
Focus on Customer-Centric Approaches	Enhance customer experiences through personalized services driven by BDA insights.	85
Ongoing Evaluation and Adaptation	Continuously assess and adapt BDA strategies to align with evolving technologies and market demands.	70

The table 3 shows the critical implications for practice, which were identified by the participants. 75% of respondents also highlighted the need for organizations to strategize on how building BDA can be best utilized in their work, signaling to organizations the importance of a clear ladder to implement and incorporate BDA. It covers everything from resolving data integration challenges to creating a culture of analytics. This helps ensure that BDA initiatives are aligned and deployed strategically with the objectives of the organization and its operations.

80% of the interviewees considered the investment in training to be critical, as they highlighted the importance of training employees in analytical skills, in order to unlock the potential of BDA. Providing this solution is critical to build a data-driven culture needed to deliver sustainable, long-lasting improvements in network performance.

A staggering 85% of respondents emphasized the necessity of shifting to customer-centric strategies. Telecom companies can use BDA to create individualized service offerings to delights customers and enhance customer

experience, this can help telecom service providers to win over customers in a competitive market and increase customer loyalty and satisfaction.

Seventy percent of the BDA strategies continued to be evaluated and adapted, indicating a need for continuous evaluation of BDA implementations. Telecommunications remain bespoke-formation types retaining fluidity in their organizations and imperative tendencies to equip them with BDA.

The qualitative perspectives highlight the need for a multifaceted approach for BDA implementation specifically in telecommunications domain. Organizations must be strategic in their integration, invest substantially in training, remain focused on customer experiences, and conduct regular assessments to reap the full benefits of Big Data Analytics in improving their operational efficiency.

The study contributes to the existing literature by providing robust evidence on the positive effect of Big Data Analytics on telecommunications network performance. Rigorous statistical tests bolstered by quantitative analysis were performed further proving the improvements in latency, throughput and uptime. Moreover, the qualitative analysis emphasized practical challenges and benefits of implementing BDA which underlined the importance of data amalgamation, skills development and strategic alignment. These results collectively answer all research questions and help in developing a better understanding of how BDA for optimizing telecommunications operations

These findings, which are very detailed, highlight the importance of BDA in improving network performance and show that as the telecommunications business changes and as competition grows, continuously investing in analytical capabilities is critical for success. To support the hypotheses proposed earlier, the study focuses on findings that can provide practitioners with actionable insights that can help companies gain the utmost value from BDA, improving network performance and increasing customer satisfaction in their operations.

5. Discussion

This study reveals that Big Data Analytics (BDA) has considerably improved key performance indicators (KPIs) such as latency, throughput, uptime, and customer satisfaction, compared to traditional methods of evaluating telecom network performance. The experimental results showed a latency reduction

of 38.6%, a throughput increase of 32.1%, and an uptime enhancement of 5.7% following BDA implementation. These results align with previous studies that emphasize the importance of BDA in improving telecommunications operations.

The reduction in latency corroborates the findings of prior studies, particularly those of Fu et al. (2019) emphasized that optimized data scheduling in social networks can minimize latency and enhance user experiences (Fu, Liu, and Srivastava 2019). Similarly, Chen et al. (2022) highlighted the need to optimize network transfers of data analytic jobs across geo-distributed data centers, suggesting that such practices are important for reducing latency metrics in telecommunications (Chen, Liu, and Li 2022). The present study demonstrates that latency, which decreased from 45.8 ms to 28.2 ms after BDA implementation, exemplifies the valuable application of cutting-edge data management paradigms.

Furthermore, the increase in throughput, especially prominent in urban settings, underscores the growing appreciation for the role of BDA in enabling improved capacity management. The research results, which showed that average throughput increased from 55.4 Mbps to 73.2 Mbps, support the assertion made by Balaram and Prabhu (2023) that the application of artificial intelligence in conjunction with BDA can enhance customer experience in 5G networks (Balaram and Prabhu 2023). Advanced analytics contribute to better performance metrics and increased user satisfaction. This result reinforces the necessity for telecommunications providers to implement BDA as a fundamental element of their strategic framework.

The overall positive evolution in responses is evident through increased customer satisfaction ratings, which rose from 3.4 to 4.1, highlighting the impact on operational performance. Keshavarz et al. (2021) noted that BDA has the potential to enhance service quality within the telecommunications sector, aligning with the concept that improved network performance leads to enhanced user experience (Keshavarz et al. 2021). As our results demonstrate, improved uptime and lower latency are directly proportional to higher customer satisfaction, with better BDA implementation leading to higher loyalty and lower churn rates.

However, the study also highlights several limitations that warrant attention. The analysis was conducted on data from only 10 telecom firms, which may limit the generalizability of the findings. A wider sample

encompassing a greater variety of organizations could provide more comprehensive insights into the effects of BDA across multiple contexts. Additionally, customer satisfaction data and performance metrics are based on self-reported measures, which are prone to bias. Future studies should incorporate objective data from network performance measurements using specific tools, such as those suggested by Drivas et al. (2020), to enhance the reliability of the findings (Drivas et al. 2020).

Moreover, qualitative insights continue to reveal themes such as challenges in data integration and the need for improved training programs. Approximately 80% of interviewees expressed concerns related to the skill gap in their organizations, which aligns with the findings of Mello and Martins (2019), suggesting that a better performance measurement system should be supported by appropriate training initiatives (Mello and Martins 2019). As emphasized by Jaswanth et al. (2023), the effective understanding of complex data sets requires highly skilled individuals, necessitating continuous education and development to keep pace with the rapidly evolving environment of BDA technologies (Jaswanth et al. 2023).

Understanding the ways in which BDA can improve telecommunications network performance is the focus of this article. The quick return on investment in terms of latency, throughput, uptime, and customer satisfaction provides a compelling reason for telecom companies to invest in BDA. As organizations and the industry evolve towards data-centric approaches, the right methodology and integration strategy will enable organizations to fully embrace BDA's benefits while acknowledging the limitations identified in this study. Future research should concentrate on the long-term effects of BDA on organizational performance and customer engagement, as well as the evolving skill needs in this dynamic field. BDA initiatives should align with broader organizational goals, resonating with the arguments put forward by Nougnanke et al. (2023) (Nougnanke et al. 2023). There is an ongoing need for the holistic embedding of analytics within the operational fabric of telecommunications.

6. Conclusion

This article demonstrates the strong effectiveness of Big Data Analytics (BDA) in enhancing telecommunication network performance metrics. The results show that BDA implementation significantly improves several key

areas, including latency, throughput, uptime, and customer satisfaction. Using robust quantitative and qualitative analyses, the study highlights the multidimensional value that BDA delivers to telecommunications companies, establishing it as an essential driver of operational excellence and competitive advantage.

The reduction in latency indicates that BDA enhances overall network responsiveness under heavy load conditions and during peak usage times. This improvement ensures a seamless user experience, which is crucial for applications that require real-time communication, as BDA enables faster data processing and better traffic management. Enhancements to the earth station evaluation process are particularly significant as the telecommunications community continues to be challenged to provide faster, more dependable networks.

Additionally, BDA achieves better data processing capabilities, as evidenced by increasing throughput. This ability is especially important in urban areas with high data volumes, ensuring streamlined service delivery and an overall improved customer experience. The correlation between higher throughput and customer satisfaction underscores the strategic value of BDA in fostering customer loyalty and retention.

The benefits of improved uptime suggest that the network infrastructure is becoming more reliable. Catastrophic failures have been minimized through reduced downtime and service interruptions, enabling telecommunications providers to maintain 24/7 availability and thus build trust with users. In a competitive market with rising customer expectations, this growing reliance on reliability is critical. The results recommend the utilization of BDA-driven predictive maintenance and real-time monitoring systems to detect and address potential issues before they degrade service quality.

Both performance measures and qualitative insights from industry practitioners highlight the need for a cultural shift within organizations to adopt a data-informed approach to decision-making. The identification of skill gaps and the need for strong training programs point to areas for improvement. Telecom firms must ensure that training programs are in place to equip the workforce with the necessary analytical skills to fully utilize BDA's potential. Strengthening the foundation of operational excellence fosters a culture of persistence and innovation throughout the organization.

A dominant theme across the research is the strategic alignment of BDA

drivers with broader business objectives. Organizations need to create comprehensive strategies that embed BDA into their business goals and trajectories. This ensures the optimal use of available BDA technologies to make informed decisions within the telecommunications landscape.

While the study provides impressive evidence of BDA benefits, it also identifies areas for further exploration. Larger-scale studies could consider a wider sample across a more diverse set of telecommunications firms, enabling a better understanding of BDA's influence on organizational change across different sectors. Additionally, exploring the long-term impact of BDA on organizational performance and customer engagement will be crucial for establishing best practices within the industry.

The results of this study advocate for the selective adoption of Big Data Analytics in telecommunications as a means to boost performance and enhance customer satisfaction. This approach will enable organizations to reap the benefits of BDA, culminating in long-term improvements in network performance. As telecommunications technology continues to evolve, businesses must stay ahead with their data analytics strategies to meet current demands and prepare for future challenges in an ever-changing environment.


References

- Ageyev, D., Al-Anssari, A., Qasim, N. (2015). Multi-period LTE RAN and services planning for operator profit maximization. *The Experience of Designing and Application of CAD Systems in Microelectronics*, 24-27 Feb. <https://doi.org/10.1109/CADSM.2015.7230786>.
- Ageyev, D., Yarkin, D. Qasim, N. (2014). Traffic aggregation and EPS network planning problem. *2014 First International Scientific-Practical Conference Problems of Infocommunications Science and Technology*, 14-17 Oct. <https://doi.org/10.1109/INFOCOMMST.2014.6992316>.
- Balaram, G., and Prabhu, S. (2023). 5G Network Management Framework for Improved Customer Experience using Artificial Intelligence and Big data. *2023 4th International Conference for Emerging Technology (INCET)*, 26-28 May. <https://doi.org/10.1109/INCET57972.2023.10170728>.
- Chaudhary, R., Aujla, G. S., Kumar, N., and Rodrigues, J. J. P. C. (2018). Optimized Big Data Management across Multi-Cloud Data Centers: Software-Defined-Network-Based Analysis. *IEEE Communications Magazine*, 56 (2), 118-126. <https://doi.org/10.1109/MCOM.2018.1700211>
- Chen, L., Liu, S., and Li, B. (2022). Optimizing Network Transfers for Data Analytic Jobs Across Geo-Distributed Datacenters. *IEEE Transactions on Parallel and*

- Distributed Systems*, 33 (2), 403-414.
<https://doi.org/10.1109/TPDS.2021.3093232>
- Dhasaratham, M. (2023). Big Data Network Optimization for Mobile Cellular Networks in 5G. *International Journal on Recent and Innovation Trends in Computing and Communication*, 11 (10), 1924–1930. <https://doi.org/10.17762/ijritcc.v11i10.8783>
- Drivas, I. C., Sakas, D. P., Giannakopoulos, G. A., and Kyriaki-Manessi, D. (2020). Big Data Analytics for Search Engine Optimization. *Big Data and Cognitive Computing*, 4 (2). <https://doi.org/10.3390/bdcc4020005>.
- Fatah, O. R., and Qasim, N. (2022). The role of cyber security in military wars. *PCSITS-V International Scientific and Practical Conference, 2022*, 78 (06), 114-116.
https://www.researchgate.net/profile/Nameer-Qasim/publication/369899226_The_role_of_cyber_security_in_military_wars/links/6431beafad9b6d17dc44d44e/The-role-of-cyber-security-in-military-wars.pdf
- Fu, W., Liu, S., and Srivastava, G. (2019). Optimization of Big Data Scheduling in Social Networks. *Entropy*, 21 (9). <https://doi.org/10.3390/e21090902>.
- Hashim, N., Mohsim, A., Rafeeq, R., and Pyliavskyi, V. (2020). Color correction in image transmission with multimedia path. *ARPJ Journal of Engineering and Applied Sciences*, 15 (10), 1183-1188.
https://www.arpnjournals.org/jeas/research_papers/rp_2020/jeas_0520_8215.pdf
- Jaswanth, K., Sruthi, S., Ramachandrala, P., and Saravanan, S. (2023). Real-Time Network Monitoring: A Big Data Approach. *2023 14th International Conference on Computing Communication and Networking Technologies (ICCCNT)*, 6-8 July. <https://doi.org/10.1109/ICCCNT56998.2023.10307890>.
- Jekov, B., Petkova, M., Gotsev, L., and Petkova, V. (2021). Benefits and Challenges of Big Data Analysis in Telecom Industry. *2021 29th National Conference with International Participation (TELECOM)*, 28-29 Oct.
<https://doi.org/10.1109/TELECOM53156.2021.9659799>.
- Jiang, D., Wang, Y., Lv, Z., Qi, S., and Singh, S. (2020). Big Data Analysis Based Network Behavior Insight of Cellular Networks for Industry 4.0 Applications. *IEEE Transactions on Industrial Informatics*, 16 (2), 1310-1320.
<https://doi.org/10.1109/TII.2019.2930226>
- Keshavarz, H., Mahdzir, A. M., Talebian, H., Jalaliyoon, N., and Ohshima, N. (2021). The Value of Big Data Analytics Pillars in Telecommunication Industry. *Sustainability*, 13 (13). <https://doi.org/10.3390/su13137160>.
- Leliopoulos, P., Drigas, A. (2023). Big data and data analytics in 5G mobile networks. *Global Journal of Engineering and Technology Advances*, 15, 165-190.
<https://doi.org/10.30574/gjeta.2023.15.3.0114>
- Li, X., Peng, J., Ralescu, D. A., and Gen, M. (2020). Network optimization with big data and uncertain data. *International Journal of General Systems*, 49 (5), 467-469. <https://doi.org/10.1080/03081079.2020.1793053>
- Ma, B., Guo, W., and Zhang, J. (2020). A Survey of Online Data-Driven Proactive 5G Network Optimisation Using Machine Learning. *IEEE Access*, 8, 35606-35637.
<https://doi.org/10.1109/ACCESS.2020.2975004>

- Makarenko, A., Qasim, N., Turovsky, O., Rudenko, N., Polonskyi, K., Govorun, O. (2023). Reducing the Impact of Interchannel Interference on the Efficiency of Signal Transmission in Telecommunication Systems of Data Transmission Based on The Ofdm Signal. *Eastern-European Journal of Enterprise Technologies*, 9 (121), 82–93. <https://doi.org/10.15587/1729-4061.2023.274501>
- Manogaran, G., Shakeel, P. M., Baskar, S., Hsu, C. H., Kadry, S. N., Sundarasekar, R., Kumar, P. M., et al. (2021). FDM: Fuzzy-Optimized Data Management Technique for Improving Big Data Analytics. *IEEE Transactions on Fuzzy Systems*, 29 (1), 177-185. <https://doi.org/10.1109/TFUZZ.2020.3016346>
- Martinez-Mosquera, D., Navarrete, R., and Luján-Mora, S. (2020). Development and Evaluation of a Big Data Framework for Performance Management in Mobile Networks. *IEEE Access*, 8, 226380-226396. <https://doi.org/10.1109/ACCESS.2020.3045175>
- Mello, R., and Martins, R. A. (2019). Can Big Data Analytics Enhance Performance Measurement Systems? *IEEE Engineering Management Review*, 47 (1), 52-57. <https://doi.org/10.1109/EMR.2019.2900645>
- Mohit, V., Rizwanahmed, B. (2019). Big Data Analytics in Telecommunication using State-of-the-art Big Data Framework in a Distributed Computing Environment: A Case Study. 2019 *IEEE 43rd Annual Computer Software and Applications Conference (COMPSAC)*, 15-19 Jul. <https://doi.org/10.1109/COMPSAC.2019.00066>.
- Mushtaq, A.-S., Ali Ihsan, A.-A., and Qasim, N. (2015). 2D-DWT vs. FFT OFDM Systems in fading AWGN channels. *Radioelectronics and Communications Systems*, 58 (5), 228-233. <https://doi.org/10.3103/S0735272715050052>
- Nameer, Q., Ali, A.-A., and Moath, T. R. S. (2015). Modeling of LTE EPS with self-similar traffic for network performance analysis. *Information processing systems*, (12), 140-144. <https://doi.org/10.1109/INFOCOMMST.2015.7357335>
- Nougnanke, B., Labit, Y., Bruyere, M., Aïvodji, U., and Ferlin, S. (2023). ML-Based Performance Modeling in SDN-Enabled Data Center Networks. *IEEE Transactions on Network and Service Management*, 20 (1), 815-829. <https://doi.org/10.1109/TNSM.2022.3197789>
- Qasim, N., Khlaponin, Y., & Vlasenko, M. (2022). Formalization of the Process of Managing the Transmission of Traffic Flows on a Fragment of the LTE network. *Collection of Scientific Papers of the Military Institute of Taras Shevchenko National University of Kyiv*, 75, 88–93. <https://doi.org/10.17721/2519-481X/2022/75-09>
- Qasim, N. H., Salman, A. J., Salman, H. M., AbdelRahman, A. A., and Kondakova, A. (2024). Evaluating NB-IoT within LTE Networks for Enhanced IoT Connectivity. *2024 35th Conference of Open Innovations Association (FRUCT)*, 552-559. <https://doi.org/10.23919/FRUCT61870.2024.10516400>
- Qasim, N. H., Vyshniakov, V., Khlaponin, Y., and Poltorak, V. (2021). Concept in information security technologies development in e-voting systems. *International Research Journal of Modernization in Engineering Technology and Science*

- (IRJMETS), 3 (9), 40-54.
https://www.irjmets.com/uploadedfiles/paper/volume_3/issue_9_september_2021/15985/final/fin_irjmets1630649545.pdf
- Shongwe, T., Malatji, M., and Pretorius, J. H. C. (2022). Telecommunications Customer Service Improvement Through Big Data Analytics. 2022 IEEE 28th International Conference on Engineering, Technology and Innovation (ICE/ITMC) & 31st International Association For Management of Technology (IAMOT) Joint Conference, 19-23 June 2022.
<https://doi.org/10.1109/ICE/ITMC-IAMOT55089.2022.10033176>.
- Sieliukov, A. V., Qasim, N.H., Khlaponin, Y.I. (2022). Conceptual model of the mobile communication network. *The Workshop on Emerging Technology Trends on the Smart Industry and the Internet of Things «TTSIT»*, 20-22.
https://www.knuba.edu.ua/wp-content/uploads/2022/11/%D0%97%D0%B1%D1%96%D1%80%D0%BD%D0%B8%D0%BA_Optimized.pdf#page=20
- Zahid, H., Mahmood, T., Morshed, A., and Sellis, T. (2020). Big data analytics in telecommunications: literature review and architecture recommendations. *IEEE/CAA Journal of Automatica Sinica*, 7 (1), 18-38.
<https://doi.org/10.1109/JAS.2019.1911795>
- Zayyad, M. (2022). Assessing the Impact of Big Data Analytics in the Telecommunications Sector. *Journal of Applied Science, Information and Computing*, 3, 6-11. <https://doi.org/10.59568/JASIC-2022-3-2-02>





پرو، شکاره علوم انسانی و مطالعات فرهنگی
پرتال جامع علوم انسانی