



Research Article
Vol. 39, No. 2, Summer 2025, p. 165-180

Simultaneous Evaluation of Technical Efficiency and Production Risk of Rice Paddy Fields

H. Kazmi Shabanzade Aflaki¹, O. Javanbakht^{1*}, Kh. Alefi²

1- Agricultural Economics Department, Urmia University, Urmia, Iran

(*- Corresponding Author Email: o.javanbakht@urmia.ac.ir)

2- Agricultural Economics Department, University of Tabriz, Tabriz, Iran

Received: 13-01-2025

Revised: 15-04-2025

Accepted: 16-04-2025

Available Online: 16-04-2025

How to cite this article:

Kazmi Shabanzade Aflaki, H., Javanbakht, O., & Alefi, Kh. (2025). Simultaneous evaluation of technical efficiency and production risk of rice paddy fields. *Journal of Agricultural Economics & Development*, 39(2), 165-180. <https://doi.org/10.22067/jead.2025.91636.1327>

Abstract

Agricultural activities are inherently riskier than other types of production and are often accompanied by inefficiencies. Therefore, studying risk and inefficiency simultaneously can help enhance productivity. The statistical population in this study consisted of rice farmers in Rasht County. Based on data from the Agricultural Jihad Organization of Guilan province (2016), the total number of farmers at the time of the study was 38,763. Using Cochran's formula, the required sample size was calculated to be 226, representing approximately 58 percent of the population. The questionnaire consisted of two parts: one focusing on the inputs used in the rice production process, and the other on the socio-economic characteristics of farmers and their farms. To simultaneously evaluate the technical efficiency and production risk of rice farmers in Rasht County in 2018, a generalized Stochastic Frontier Production (SFP) model with flexible risk properties was employed. The results of estimating production risk function showed that (i) rice production was significantly affected by land, seed and labour inputs; (ii) land, water, age, and gender variables were risk-increasing factors; (iii) seed, herbicides, machinery, farmer's education, family size, and farming experience were risk-reducing inputs; (iv) seed, labour, membership in the agricultural cooperatives and insurance increased technical inefficiency; and (v) nitrogen fertilizer, water, gender, experience, and participation in educational and promotional programs reduce technical inefficiency in the studied area. The results of estimating technical efficiency showed that the average technical efficiency of the rice paddy field was 93.47 percent and 96.27 percent with and without a risk component, respectively. Therefore, it is clear that estimating the model without a risk component leads to biased results of technical efficiency. In conclusion, it is recommended that the risk component be considered when measuring the technical efficiency of paddy fields to achieve sound risk management and highly efficient production.

Keywords: Agricultural inputs, Production risk, Rice farming, Risk management, Stochastic frontier model, Technical efficiency

JEL classifications: M11, O13, Q12.

Introduction

The assessment of the efficiency of agricultural production is an important issue in the process of development in countries. The

agricultural sector is considered a high-risk activity, influenced by a variety of factors such as climatic conditions, pests and diseases, fluctuations in input and output prices, financial uncertainties, human-related risks, and



©2025 The author(s). This is an open access article distributed under [Creative Commons Attribution 4.0 International License \(CC BY 4.0\)](https://creativecommons.org/licenses/by/4.0/).

<https://doi.org/10.22067/jead.2025.91636.1327>

production input risks. Production inputs contribute to the risk intensity by introducing uncertainty in terms of availability, cost fluctuations, quality variability, and their interaction with environmental conditions, all of which can significantly affect overall farm performance and profitability. [Tveteras \(1999\)](#) express two main reasons for considering production risk in inputs to examine the behavior and productivity of farms. First, risk-averse producers choose the amounts of inputs that are different from the optimal level inputs that are chosen by risk-neutral producers. Second, when the risk-averse producers tend to adopt new technologies, they consider its risky aspects. Therefore, they may choose technology that has a high production average. According to [Bokusheva & Hockmann \(2006\)](#), the risk not only affects production but also influences the producers' behavior mainly on inputs usage. So, when farmers consider risk management and decrease the risk in their decisions, changes in the amount and manner of using inputs may change significantly the technical efficiency. Studies have shown that the effect of risk on production can be investigated through the effect of inputs selection on production variance, because, some inputs increase output variance whilst some others reduce it. [Just & Pope \(1978\)](#) have promoted the conventional approach of econometrics to evaluate the production risk. The implicit assumption of their model is the lack of inefficiency in the production units (farms). While the surveys show that these units are usually inefficient, researchers have concluded that for the simultaneous study of efficiency and risk, SFP models could be combined with the Just and Pope model ([Jaenische et al., 2003](#)). For example, [Battese et al., \(1997\)](#) used stochastic frontier analysis (SFA) with heteroscedastic error terms to define the efficiency of small farmers in Ethiopia. [Kumbhakar \(1993, 2002\)](#) also applied this method to specify the efficiency and risk preferences of Swedish dairy farms and Norwegian salmon producers. [Jaenische et al., \(2003\)](#) applied an SFA model with a heteroscedastic error term to compare technical

efficiency and risk in different cotton cropping systems. [Villano & Fleming \(2006\)](#) used the methods to rainfed lowland rice farms in the Philippines. [Bokusheva & Hockmann \(2006\)](#) take up this combined approach to evaluate the efficiency of Russian arable farms. [Sarker et al. \(2016\)](#) studied production risk and technical efficiency in Thai koi farming by the Just & Pope framework extended to the stochastic frontier model (SFM) by [Kumbhakar \(2002\)](#). [Lemessa et al. \(2017\)](#) analysed the technical efficiency and production risk of 862 maize farmers in Ethiopia using the stochastic frontier approach with flexible risk properties. Also, the other studies done in this field can mention to [Oppong et al. \(2016\)](#), [Yang et al. \(2016\)](#), [Agustina \(2016\)](#), [Baawuah \(2015\)](#), [Adinku \(2013\)](#), [Tiedemann & Latacz-Lohmann \(2013\)](#), [Ogunniyi & Ojedokun \(2012\)](#) and [Villano et al., \(2005\)](#).

In Iran, a limited number of studies have simultaneously evaluated technical efficiency and production risk, including the study by [Esfandiari et al., \(2013\)](#) (Determining technical efficiency and rice production risk in Marvdasht County, Fars province); [Alikhani et al. \(2015\)](#) (Evaluation of technical efficiency and production risk of cold-water fish farms in Kurdistan province) and [Hosseinzad & Alefi \(2016\)](#) (Evaluation of technical efficiency and production risk of potato farmers in Ardabil province).

The literature shows that a production function that takes into account the effects of inputs on both production risk and technical efficiency simultaneously is considerably better able to reflect production technology than a simple analysis of efficiency. Rice is the second most important food after wheat for Iranian people. Guilan province in the north of Iran is one of the important rice-producing provinces. This province has 238,544 hectares of cultivated area and 1,104,551 tons of paddy production. Rasht County also has the largest cultivated area and the largest production of this product among the counties of Guilan province, with 51,039 hectares of cultivated area and 226,155 tons of paddy production ([Statistical Yearbook of Guilan province, 2022](#)). Given the

significant volume of rice production in Guilan province and especially Rasht County, a scientific study of the various dimensions of production risk and technical efficiency for making better use of existing facilities and helping planners and decision makers seems logical. Therefore, this study has examined two essential concepts in agricultural economics (technical efficiency and production risk) in an integrated model, unlike traditional methods that examine technical efficiency and production risk separately. Incorporating the production risk helps to obtain unbiased estimates of the technical efficiency. It also investigates production risk, technical efficiency, and factors associated with rice production of smallholder farmers. Thus, rice production variability is assessed from two perspectives: production risk and technical efficiency.

Materials and Methods

Theoretical Framework

The method of analysis proposed for this study is consistent with the stochastic frontier approach, which was independently proposed by [Aigner *et al.*, \(1977\)](#) and [Meeusen & Vanden Broeck \(1977\)](#). This model proposes that inputs have a similar effect on mean and variance outputs. But [Just & Pope's \(1978\)](#) production function proposed separate effects of the inputs on the mean and variance outputs, whilst [Kumbhakar \(2002\)](#) further incorporates the technical inefficiency model. Following [Kumbhakar \(2002\)](#), the production process is represented below as equation 1.

$$y_i = f(x_i; \alpha) + g(x_i; \beta)v_i - q(x_i; z_j; \gamma)u_i \quad (1)$$

where, y_i refers to the observed output produced by the i -th farm, $f(x_i; \alpha)$ is the deterministic output function, $g(x_i; \beta)$ is the output risk function, β 's are the to be estimated coefficients of production risk function, x_i are the inputs variables, α 's are the to be estimated coefficients of the mean output function, $q(x_i; z_j; \gamma)$ represents the technical inefficiency model, γ 's are the to be estimated parameters in the technical inefficiency model, v_i is the random noise, representing production risk and

u_i denotes farm specific technical inefficiencies. Given the values of the inputs, the inefficiency effects, u_i , the mean output of the i -th farmer is given by equation 2:

$$E(y_i|x_i \cdot u_i) = f(x_i; \alpha) - g(x_i; \beta)u_i \quad (2)$$

Technical efficiency of the i -th farm is the ratio of observed output given the values of its inputs and its inefficiency effects to corresponding maximum feasible output if there were no inefficiency effects ([Battese & Coelli, 1988](#)). The technical efficiency of the i -th farm is given by equation 3, which is consistent with [Kumbhakar \(2002\)](#) specification of technical efficiency:

$$TE_i = \frac{E(y_i|x_i \cdot u_i)}{E(y_i|x_i \cdot u_i = 0)} = \frac{f(x_i; \alpha) - g(x_i; \beta)u_i}{f(x_i; \alpha)} = 1 - \frac{g(x_i; \beta)u_i}{f(x_i; \alpha)} \quad (3)$$

And technical efficiency becomes as equation 4.

$$TE_i = 1 - TI_i \quad (4)$$

The technical inefficiency (TI), is represented as equation 5.

$$TI_i = \frac{g(x_i; \beta)u_i}{f(x_i; \alpha)} \quad (5)$$

The variance of output or production risk is given by equation 6.

$$\text{var}(y_i|x_i \cdot u_i) = g^2(x_i; \beta) \quad (6)$$

The marginal effect of the input variables on the production risk is given as equation 7.

$$\frac{\partial \text{var}(y_i)}{\partial x_i} = \frac{\partial g^2(x_i; \beta)}{\partial x_i} = 2g(x_i; \beta) \cdot g_i(x_i; \beta) \quad (7)$$

The marginal effect of the i -th input on production risk is positive or negative depending on the signs of $g(x_i; \beta)$, and $g_i(x_i; \beta)$, where the latter is the partial derivative of the production risk function with respect to the i -th input. If the marginal risk is positive, it means that input is risk increasing and if the marginal risk is negative, it means that the input is a risk decreasing. Based on the distributional assumptions of the random errors a log

likelihood function for the observed farm output is parameterized in terms of $\sigma^2 = \sigma_v^2 + \sigma_u^2$ and $\lambda = \frac{\sigma_u^2}{\sigma_v^2} \geq 0$ (Aigner *et al.*, 1977).

Empirical Model Specification

The empirical application of this study is consistent with models developed by Kumbhakar (2002), Aigner *et al.*, (1977), Meeusen & Vanden Broeck (1977) and Just & Pope (1978). Deterministic part of the production frontier in equation 1 assumed a Translog model in equation 8.

$$\ln y = \alpha_0 + \sum_{i=1}^n \alpha_j \ln x_{ij} + 0.5 \sum_{i=1}^n \sum_{k=1}^n \alpha_{jk} \ln x_{ij} \ln x_{ki} + \varepsilon_i \quad (8)$$

α_j 's denote the unknown true values of the technology parameters. If, $\alpha_{jk}=0$ then the Translog stochastic frontier model reduces to Cobb-Douglas model specified as equation 9.

$$\ln y_i = \alpha_0 + \sum_{j=1}^n \alpha_j \ln x_{ji} + \varepsilon_i \quad (9)$$

The error term is specified as equation 10.

$$\varepsilon_i = g(x_i; \beta) v_i - q(x_i; z_j; \gamma) u_i \quad (10)$$

Production Elasticity and Return to Scale

The sensitivity of a variable towards changes another variable is defined as elasticity. The concept of elasticity can be applied to the production function so as to determine the stage of production in which the rice farmers are operating. The Translog production function elasticities are a function of the level of input consumption to different inputs. They are expressed as equation 11.

$$\frac{\partial \ln E(y_i)}{\partial \ln x_{ji}} = \alpha_j + \alpha_{jj} \ln x_{ji} + \sum_{k \neq 1} \alpha_{jk} \ln x_{ki} \quad (11)$$

A summation of the partial elasticities of the various input variables to output is a measure of the return to scale (RTS).

If $RTS > 1 \rightarrow$ Increasing returns to scale (IRS);

If $RTS < 1 \rightarrow$ Decreasing returns to scale (DRS) and,

If $RTS = 1 \rightarrow$ Constant returns to scale (CRS).

Also, in equation 8, output and input variables have been normalized by their respective means.

Studies, investigated the effect of inputs on production risk in Iran using Just & pope model (1978) such as Mehri *et al.*, (2020), Yazdani & Sassuli (2008), Karbasi *et al.*, (2005), Sharzehei & Zibaei (2001), showed that a little percentage of production risk was related to production inputs (due to the low amount of the coefficient of determination and the adjusted coefficient of determination of the production risk function). So they concluded that various factors such as the geographical location of the farm, the age of the farmer, the level of education and experience, the farmer's gender, access to credit, extension services, rainfall and type of soil were all effective on production risk, and the lack of these variables in the model resulted in a lower coefficient of determination. Therefore, in the present study, in addition to the effects of inputs on production risk, the effect of factors such as farmers' age, education level (edu), experience (exper), gender (gen), marriage status (mar) and household size (fam size) are also considered in the production risk. The linear production risk function is specified as Equation 12.

$$g(x_i; \beta) v_i = \beta_0 + \sum_{i=1}^n \beta_i x_i \quad (12)$$

Where, x_i 's represent the input variables; β 's are the unknown true coefficients of the risk model parameters and v_i 's are the pure noise effects. In production risk function, in addition to the effects of inputs on the production risk, the effect of a number of other variables (as already mentioned) is considered. If β 's becomes negative, the respective input reduces output variance and vice versa (Just & Pope, 1978).

The technical inefficiency effects were given by Equation 13.

$$q(x_i; z_j; \gamma) = \gamma_0 + \sum_{i=1}^n \gamma_i x_i + \sum_{j=1}^n \gamma_j z_j \quad (13)$$

Where, x_i 's represent the input variables and z_j 's are exogenous (socio-economic) variables; γ denote the unknown true values of the parameters of the technical inefficiency model.

The SFP model with a flexible risk specification includes mean output function, risk function and technical inefficiency which are estimated simultaneously using the

maximum likelihood method by using [Stata software](#) (Version 15).

Statement of Hypothesis:

The following hypotheses were tested to determine the ability of the model to achieve the study objectives and whether input production risk and technical inefficiency can significantly explain production variations. The hypotheses are listed below:

1- $H_0: \alpha_{ij} = 0$, the coefficients of the second-order variables in the Translog model are zero in favor of the Cobb-Douglas model.

2- $H_0: \beta_1 = \dots = \beta_{14} = 0$, output variability is not explained by production risk in inputs and socio-economic variables.

3- $H_0: \lambda = 0$, inefficiency effects are absent from the model. Therefore, the variance of the inefficiency term is zero and deviations of the observed output from the frontier output are entirely due to pure noise effect. On the other hand, if $\lambda > 0$ then technical inefficiency is present in the data and deviations from the frontier output are as a result of technical inefficiency and pure noise.

4- $H_0: \gamma_1 = \dots = \gamma_{20} = 0$, this implies that inputs and socio-economic variables do not account for technical inefficiency. The generalized likelihood-ratio statistic (LR test) tested the entire hypothesis. The statistic for this test is as follows:

$$LR = -2[\ln L_r - \ln L_{ur}] \sim \chi^2 \quad (14)$$

In Equation 14, L_r is the value of the likelihood function of the restricted model, and L_{ur} is the value of the likelihood function of the unrestricted model. The likelihood ratio (LR) test statistic has a χ^2 distribution with degrees of freedom equal to the number of parameters under the null hypothesis.

Data and Sampling Technique

The statistical population in this study consisted of rice farmers in Rasht County. Based on data from the [Agricultural Jihad Organization of Guilan province \(2016\)](#), the total number of farmers at the time of the study was 38,763. Using Cochran's formula with a margin of error of 0.065, the required sample size was calculated to be 226, representing approximately 58 percent of the population. Although more questionnaires were distributed and completed, only 221 were deemed usable for analysis.

The questionnaire consisted of two parts. The first part was related to the inputs used in the rice production process, and the second part was related to the socio-economic variables of farmers and their farms. It should be noted that Stata and Excel software were used to analyze the data.

A descriptive analysis of variables is presented in [Table 1](#); subsequently the demographic characteristics of the respondents were expressed.

Table 1- Summary statistics of output and input variables

Variable	Symbol	Type of variable	Unit	Mean	Min	Max	SD
Production	pro	Dependent	Ton	4.94	0.2	36	4.96
Land	ln	Independent	Hectare	1.33	0.112	10	1.24
Seed	se	Independent	Kilogram	98.92	12	450	77.54
Labour	la	Independent	Man-days	29.50	3	128	20.82
Nitrate fertilizer	n	Independent	Kilogram	258.35	0	3500	344.37
Phosphate fertilizer	p	Independent	Kilogram	142.28	0	4000	294.74
Herbicide	hs	Independent	Liter	4.51	0	35	4.51
Machinery	ma	Independent	Hour	65.68	4	795	77.60

Source: Research Findings

According to Table 1, the average cultivated area was 1.33 hectares. On average, rice farmers used 98.92 kilograms of rice seed, 29.50 man-days of labor, 258.35 kilograms of nitrogen fertilizer, 142.28 kilograms of phosphate fertilizer, 4.51 liters of pesticide, and 65.68 hours of agricultural machinery to

produce 4.94 tons of output. Based on the completed questionnaires, the average age of rice farmers was 51 years, with over 97% being married. The average household size was three members, and 92% of the farmers were male. Rice farming was the primary occupation for more than 53% of respondents, and over 81%

were landowners. Regarding machinery ownership, only 10% of farmers owned machinery, while the remainder relied on rental

equipment. Additionally, more than 48% of farms were insured, and 21% of farmers had participated in educational programs.

Table 2- Results of estimation of the stochastic frontier model and efficiency with and without risk consideration

variable definition	Symbol	Coefficients	Model estimation with risk component		Model estimation without risk component		
			z	P> z	Coefficients	z	P> z
Production function							
Constant	cons	0.01	0.58	0.56	-0.042	-1.11	0.266
Log Land	lln	1.11***	22.02	0.000	0.756***	6.98	0.000
Log Seed	lse	-0.125**	-2.45	0.014	-0.049	-0.65	0.514
Log Labour	lla	0.05*	1.95	0.051	0.027	0.5	0.62
Log Nitrate fertilizer	ln	-0.004	-0.14	0.888	0.167***	2.8	0.005
Log Phosphate fertilizer	lp	0.008	0.29	0.775	0.128**	2.48	0.013
Log Herbicide	lhs	0.019	0.47	0.642	0.045	0.7	0.482
Log Machinery	lma	-0.002	-0.07	0.947	-0.016	-0.29	0.771
0.5*(Log Land) ²	lln ²	1.377***	19.92	0.000	0.789***	5.71	0.000
0.5*(Log Seed) ²	lse ²	0.643***	3.85	0.000	0.202	0.77	0.44
0.5*(Log Labour) ²	lla ²	-0.283***	-2.58	0.01	0.066	0.51	0.607
0.5*(Log Nitrate) ²	ln ²	0.059***	2.63	0.009	0.05**	2.14	0.033
0.5*(Log Phosphate) ²	lp ²	0.003	0.66	0.507	0.024***	2.66	0.008
0.5*(Log Herbicide) ²	lhs	0.048	1.08	0.278	0.006	0.23	0.816
0.5*(Log Machinery) ²	lma ²	0.053	0.58	0.565	0.103	0.94	0.349
Log Land*Log Seed	llnlse	-1.087***	-8.79	0.000	-0.225	-0.88	0.376
Log Land*Log Labour	llnlla	0.773***	9.77	0.000	0.305**	2.41	0.016
Log Land*Log Nitrate	llnln	-0.272***	-3.57	0.000	-0.17*	-1.79	0.074
Log Land*Log Phosphate	llnlp	-0.011*	-1.92	0.055	-0.012	-1.02	0.307
Log Land*Log Herbicide	llnlhs	-0.232***	-5.5	0.000	-0.041	-0.45	0.65
Log Land*Log Machinery	llnlma	-0.022	-0.26	0.797	-0.414***	-2.94	0.003
Log Seed*Log Labour	lsella	-0.122	-1.45	0.148	-0.259*	-1.79	0.073
Log Seed*Log Nitrate	lseln	-0.599	-1.35	0.178	-0.021	-0.31	0.755
Log Seed*Log Phosphate	lselp	-0.013	-0.57	0.568	-0.013	-0.3	0.763
Log Seed*Log Herbicide	lselhs	0.442***	5.85	0.000	0.004	0.04	0.968
Log Seed*Log Machinery	iselma	0.065	0.98	0.328	0.262**	2.26	0.024
Log Labour*Log Nitrate	llaln	0.055	0.73	0.463	-0.053	-0.54	0.588
Log Labour*Log Phosphate	llalp	0.069***	5.08	0.000	0.062**	2.44	0.014
Log Labour*Log Herbicide	llalhs	-0.198**	-2.09	0.037	0.088	1.13	0.26
Log Labour*Log Machinery	llalma	-0.27***	-3.66	0.000	-0.165*	-1.77	0.076
Log Nitrate*Log Phosphate	lnlp	-0.028**	-2.46	0.014	-0.007	-0.54	0.588
Log Nitrate*Log Herbicide	lnlhs	0.032	1.12	0.261	0.041	1.06	0.287
Log Nitrate*Log Machinery	lnlma	0.12***	2.77	0.006	0.094	1.44	0.15
Log Phosphate*Log Herbicide	lplhs	-0.037	-1.25	0.213	-0.55	-1.37	0.171
Log Phosphate*Log Machinery	lplma	-0.007	-0.4	0.687	-0.009	-0.47	0.639
Log Herbicide *Log Machinery	lhslma	-0.093**	-2.48	0.013	0.011	0.14	0.888
Risk function							
Constant	Cons	-9.187***	-5.18	0.000	-	-	-
Land	ln	4.409***	7.84	0.000	-	-	-
Seed	se	-0.045***	-5.53	0.000	-	-	-
Labour	la	-0.005	-0.58	0.562	-	-	-
Nitrate fertilizer	n	-0.001	-1.23	0.22	-	-	-
Phosphate fertilizer	p	-0.0007	-0.44	0.662	-	-	-
Herbicide	hs	-0.342***	-3.77	0.000	-	-	-
Machinery	ma	-0.006**	-2.05	0.04	-	-	-
Water	wa	1.458**	2.38	0.017	-	-	-
Age	age	0.128***	6.23	0.000	-	-	-
Gender	gen	3.877***	3.05	0.002	-	-	-
Marital status	marr	-0.819	-0.85	0.397	-	-	-
Educational level	edu	-0.249*	-1.95	0.051	-	-	-
Household size	famsize	-0.556***	-5.45	0.000	-	-	-
Experience	exper	-0.076***	-4.62	0.000	-	-	-

Technical inefficiency function							
Constant	cons	-1.6	-0.43	0.669	-13.74*	-1.77	0.076
Land	ln	-1.213	-0.84	0.401	10.91	1.1	0.269
Seed	se	0.037***	2.69	0.007	-0.002	-0.15	0.882
Labour	la	0.058*	1.73	0.083	0.034	0.54	0.59
Nitrate fertilizer	n	-0.034***	-4.1	0.000	-0.017	-1.12	0.261
Phosphate fertilizer	p	0.005	0.62	0.535	0.017	1.29	0.196
Herbicide	hs	0.357	1.08	0.279	-2.115	-1.24	0.215
Machinery	ma	0.005	0.76	0.446	-0.058	-1.32	0.188
Water	wa	-2.486***	-2.63	0.008	-7.97**	-2.05	0.04
Age	age	-0.039	-0.63	0.530	0.225	0.86	0.388
Gender	gen	-2.761***	-2.73	0.006	4.91	0.99	0.321
Marital status	marr	2.397	0.92	0.355	-11.93	-0.89	0.374
Educational level	edu	0.039	0.13	0.895	-1.884	-0.43	0.669
Household size	famsize	0.221	0.79	0.432	1.487	1.12	0.263
Experience	exper	-0.118**	-2.05	0.041	-0.44	-0.91	0.365
Main occupation	otherjob	0.339	0.37	0.713	5.167**	1.98	0.048
Land ownership	pland	0.407	0.35	0.726	6.261	0.96	0.338
Machinery ownership	pmachine	0.837	0.63	0.529	6.534	0.88	0.38
Membership in cooperatives	membershipe	3.081***	3.82	0.000	6.598**	2.18	0.029
Insurance	insure	2.682***	3.57	0.000	4.656	1.05	0.295
Participating in training classes	class	-10.66***	-3.56	0.000	-2.463	-0.95	0.342
Observations		221			221		
Log likelihood		55.07			-10.5368		
Wald chi2(35)		422720.45			1973.21		
Prob>chi2		0.000			0.000		
E(sigma-u)		0.1581			-		
E(sigma-v)		0.2919			-		
lambda ($\lambda = \frac{\sigma_u}{\sigma_v}$)		0.54			-		

Source: Research Findings ***, **, * indicate 0.01, 0.05 and 0.1 level of significance respectively.

Results and Discussion

Estimated Generalized SFP Model

The results of estimating the stochastic frontier function with and without considering risk are reported in [Table 2](#). Since Translog coefficients cannot be directly interpreted, input elasticities were calculated for economic interpretation.

Results of Estimated Production Elasticity and Returns to Scale (RTS)

The concept of input elasticity in a production function is used to determine the stage of production in which the rice farmers are operating in using each input. The output elasticity shows the degree of responsiveness of rice output to changes in the amount of various inputs and a summation of the partial elasticities of the various inputs with respect to output is a measure of the return to scale of the rice farms.

Table 3- Estimation results of production elasticities and returns to scale

Variable	Elasticities	Production Area
Land	1.04	First
Seed	-0.251	Third
Labour	-0.046	Third
Nitrate fertilizer	0.258	Second
Phosphate fertilizer	0.033	Second
Herbicide	0.058	Second
Machinery	0.0003	Second
Returns to Scale (RTS)	1.092	-

Source: Research Findings

According to [Table 3](#), the elasticity of land input is positive and equals 1.04, showing one percent increase in the use of land input will increase output by 1.04 percent, and this input was used in the first stage of production in the studied area. The elasticities of nitrate and phosphate fertilizers, herbicide and machinery inputs had a positive sign and were 0.258, 0.033, 0.058 and 0.0003, respectively. It means that a one percent increase in the usage of nitrate and phosphate fertilizers, herbicide and machinery inputs will increase output by 0.258, 0.033, 0.058 and 0.0003 percent, respectively. Also, the value of these elasticities is between zero and one, indicating that farmers were currently operating in the second stage of production for these inputs. Consistent with our findings, [Esfandiari et al., \(2013\)](#) similarly reported positive production elasticities for both land and phosphate fertilizer inputs in rice production of Marvdasht County, Fars province.

The seed input exhibited a negative elasticity of 0.251 percent, indicating that one percent increase in seed usage would decrease mean production by 0.251 percent. This negative elasticity value suggests over-utilization of seeds in the study area. In production economic terms, this places seed usage in Stage III of the production function (the irrational zone of production).

The labour input demonstrated negative elasticity (-0.046 percent), implying that a one percent increase in labour usage would reduce mean output by 0.046 percent. This statistically significant negative elasticity confirms that labour is being overutilized in the study area, placing it in Stage III of the production function - the economically inefficient zone where the marginal product is negative.

The sum of the partial elasticities of inputs to output indicates returns to scale (RTS) and, in fact, the flexibility of production.

The returns to scale coefficient was estimated at 1.092. This means that a one percent increase in the use of production inputs increases the amount of rice produced by more than one percent, which is called increasing

returns to scale. [Sharzehei et al., \(2001\)](#) also found that rice production in Guilan province exhibits increasing returns to scale.

Production Risk Function

Output variability in the production process has been explained by the inputs and exogenous variables which provide important information for production risk management. According to the estimated coefficients of the production risk function in the middle part of [Table 2](#), the inputs of area under cultivation (Land), water, farmer's age, and gender increase production risk, and seeds, herbicides, machinery, education, household size, and rice farming experience reduce production risk.

In other words, the land input coefficient was obtained as 4.409, showing that land input has a significant and positive effect on the risk of rice production and is a risk-increasing input. Because rice farming is labor-intensive, increasing the area under cultivation makes it difficult for each farmer to control the farm, and the time spent per square meter during the planting and harvesting stages of the rice crop decreases. This result is consistent with the findings of [Yazdani & Sassuli \(2008\)](#), [Kopahi et al. \(2009\)](#), [Esfandiari et al. \(2013\)](#), [Villano & Fleming \(2006\)](#), [Tiedemann & Latacz-Lohmann \(2013\)](#), [Guttorpsen & Roll \(2014\)](#) and [Oppong et al. \(2016\)](#).

The coefficient of water inputs was also 1.458, which indicates that water has a positive and significant effect on rice production risk. Because of the abundant rainfall and climate conditions of the studied area, water input is considered as a dummy variable, usage of water from channels against traditional sources of water supply. Because the channels' water is released on a certain date, it leads to a delay in the preparation of rice paddy fields and defers the stages of the rice production process, which increases production costs. So water is a risk-increasing input, which is consistent with [Yazdani & Sassuli \(2008\)](#) on investigating the effects of inputs on the risk of rice production.

The coefficient for seed input was -0.045, indicating that seed has a negative and

statistically significant effect on rice production risk. This suggests that seed is a risk-reducing input. Risk-averse farmers tend to use more seed to reduce output variability. In the study area, rice farmers were observed to use higher quantities of seed, primarily for two reasons: (1) after transplanting, some seedlings were displaced or damaged by water flow; and (2) in some cases, seedling stems were severed and destroyed by aquatic insects, necessitating replacement with healthy seedlings. Farmers used the seedlings remaining in the storage to reduce the production risk. The studies of [Guttormsen & Roll \(2014\)](#), [Baawuah \(2015\)](#) and [Oppong *et al.* \(2016\)](#) confirm this finding. The herbicide input coefficient was also found to be -0.342. It means that herbicide had a significant and negative effect on rice production risk. Using herbicide to destroy weeds can create sturdy rice bushes and improve the quality and quantity of the product. Similarly, [Kopahi *et al.* \(2009\)](#), [Villano *et al.* \(2005\)](#), [Villano & Fleming \(2006\)](#) and [Baawuah \(2015\)](#) found that herbicide is risk reducing input in rice production. The input of machinery became significant, with a coefficient of -0.006. This means that machinery was a risk-reducing input. This implies that proper management of machinery can be used to reduce output variance. This result is in agreement with the findings of [Karbasi *et al.* \(2005\)](#), [Adinku \(2013\)](#), and [Hosseinzad & Alefi \(2016\)](#).

Studies investigating the impact of inputs on production risk (Yazdani & Sassoli, 2008; Karbasi *et al.*, 2005; Sharzehei & Zibaei, 2001) have shown that only a small portion of production risk is attributable to input use. Instead, various other factors significantly influence production risk, including the farm's geographical location, the farmer's age, level of education or experience, gender, access to credit, availability of extension services, rainfall patterns, and the type of agricultural soil. Therefore, in the present study, in addition to examining the effect of inputs on production risk, the effect of factors such as the farmer's age, education level, experience, and farmer's gender, marital status, and household size on

production risk was examined. These results are explained below.

According to [Table 3](#), the coefficient of the age variable was 0.128 and was significant. It means that age is a risk-increasing variable. As farmers get older their physical and cognitive powers diminish and the one behaves more conservatively and risk-averse showing a less tendency to adopt new technologies. Also, older farmers are more likely to be at individual risk. The coefficient of the gender variable was 3.877 and had a significant positive effect on production risk. If the manager and decision maker of a farm is male, he will take more risky decisions. This can be consistent with the general belief that women are relatively risk-averse. On the other hand, men have more financial independence than women, which can affect their decision-making. It can be true, especially in rural communities where women are more responsible for household duties. This result is consistent with the studies of [Wik *et al.* \(2004\)](#) and [Guttormsen & Roll \(2014\)](#). The coefficient of the education variable in the production risk function was -0.249. This variable had a negative and significant effect on production variance and it was a risk-reducing factor. The higher level of education will reduce the production risk cause more educated farmers have comprehensive vision and a better understanding of issues related to their profession including production, markets for selling their product. The coefficient of the household size variable was -0.556 and was statistically significant. This result shows that the household size variable has a negative and significant effect on the risk of rice production and is a risk-reducing variable. A big family is considered to have more labour input at different stages of production, reducing the risk of labour scarcity in the production process and so on the production risk. The coefficient of the agricultural experience variable was -0.076 and was statistically significant. So, the experience of farmers in producing rice reduces production risk and is a risk reducing variable. The experienced farmers work better in their field of agricultural activities, which can ultimately improve productivity and reduce production

risk.

Labour, nitrate and phosphate fertilizers, and marital status did not have a significant effect on the risk of rice production in the studied area. The labour has a negative sign and is a risk decreasing input, but not significant in this study. The studies of [Yazdani & Sassuli \(2008\)](#), [Kopahi et al. \(2009\)](#), [Ogundari & Akinbogun \(2010\)](#), [Alikhani et al. \(2015\)](#), [Baawuah \(2015\)](#) and [Hosseinzad & Alefi \(2016\)](#) also confirmed that labour is a risk reducing input.

Technical Inefficiency Model

The last part of [Table 2](#) shows the results of estimating the technical inefficiency function. It should be noted that negative signs of the estimated variables indicate positive effects on technical efficiency, which imply such variables reduce rice production inefficiency, and the positive sign shows the negative effect on technical efficiency. According to [Table 2](#), the seed variable coefficient was obtained as 0.037. It means that with each additional unit of seed used, the amount of 0.037 units of farm inefficiency increases. So, seed has a positive and significant effect on technical inefficiency, indicating that farmers who have used more seeds were less efficient. Using more seed increases production costs and on the other hand, by increasing output density per hectare land reduces marginal productivity.

The coefficient of labour input was 0.058 and was statistically significant. This indicates that labour input has a positive effect on the technical inefficiency of rice farms. Using more labour due to the high level of wages increases production costs, and on the other hand, because of the excessive labour accumulation per hectare, production decreases. The coefficient of the variable membership in cooperatives was also positive and significant, with a value of 3.081. This means that membership in cooperatives in the study area had a positive effect on the technical inefficiency of farmers. Cooperative companies have different categories according to their activities. The cooperative corporations distribute various types of fertilizers and herbicides. Some cooperatives in the studied

area were inactive, and rice farmers had to buy these inputs from the market at higher prices, which in turn would increase production costs. It should be mentioned that active cooperatives recommended fertilizers and herbicides to farmers without any soil testing and just based on their own experience, which cannot be the optimum amounts. According to the studies of [Esfandiari et al. \(2013\)](#) and [Alikhani et al. \(2015\)](#), membership in cooperatives has a significant relationship with technical inefficiency, which can be positive or negative. According to the results, the crop insurance variable also became significant, with a coefficient of 2.682 and had a positive effect on the technical inefficiency of rice farmers. Most of the rice farmers who had insured their product did not receive any indemnity after damage or received only a little, which was not enough to cover their costs. Thus, they considered the rice insurance program as an additional useless cost that only increases their production costs. Also, a large number of rice farmers had small farms, and due to the high amount of premium, they did not insure their product. The coefficient of nitrate fertilizer was -0.034. This means that nitrate fertilizer had a negative and significant effect on the technical inefficiency of rice farmers. In other words, nitrate fertilizer has a positive effect on technical efficiency and increases it. Nitrate fertilizer is an important input for increasing rice yield and can increase production if used at the right time. Water input had a negative and significant effect on the inefficiency of rice farmers. In other words, water input has a positive effect on the technical efficiency of farmers. The coefficient of water input was calculated as -2.486. As mentioned earlier, this input was considered a dummy variable. Using the water of channel because of the stability of its source increases technical efficiency. The findings of [Esfandiari et al. \(2013\)](#) also showed that the source of water supply has a positive effect on technical efficiency in rice production.

In this study, the gender variable was significant with a coefficient of -2.761. So, Men work more efficiently than women. This could be explained by the fact that men have easier

access to credit, probably because of cultural prejudice, and hence men are closer to the production frontier. Also, men are more interested in expanding their activities. This result is consistent with the findings of Kibaara (2005), Onumah & Acquah (2010), Taraka *et al.* (2012), Adinku (2013), Baawuah (2015) and Kea *et al.* (2016). The experience variable with a coefficient of -0.118 had a negative and significant effect on farmers' inefficiency. In other words, experienced farmers are less inefficient. So, there is a positive relationship between farmers' experience and technical efficiency. Findings of Esfandiari *et al.* (2013), and Alikhani *et al.* (2015), Ogundari & Akinbogun (2010), and Taraka *et al.* (2012) also confirm this result. Educational classes was also significant with a value of -10.66. This variable had a negative effect on technical inefficiency and in other words a positive effect on the technical efficiency of rice farmers in the

studied region. Educational classes that upgrade farmers' information and their managerial capacity, will increase production efficiency. Phosphate fertilizer, herbicide, machinery, age, marital status, education, household size, non-agricultural occupation, land ownership, and machinery ownership did not affect the technical inefficiency of rice farmers in the studied area. Adinku (2013) showed that age, land ownership, size of household and main occupation did not have any significant effect on technical inefficiency of rice production in Ghana. Also, according to Esfandiari *et al.* (2013), the variables of household size, primary occupation, and machinery ownership did not affect the technical efficiency of rice production in Iran.

Testing of Hypotheses

The likelihood ratio test (LR) results for the hypothesizes of the study are presented in Table 4.

Table 4- Hypothesis test for model specification and statistical assumptions of stochastic frontier model with flexible risk properties

Null Hypothesis	Log-likelihood Value	LR Test	Critical value ($\alpha=0.001$)	Decision
1. $H_0: \alpha_{ij} = 0$	-27.18	164.52***	58.30	Reject H_0
2. $H_0: \beta_1 = \dots = \beta_{14} = 0$	-10.53	131.23***	36.12	Reject H_0
3. $H_0: \lambda = 0$	-42.68	195.5***	67.98	Reject H_0
4. $H_0: \gamma_1 = \dots = \gamma_{20} = 0$	22.63	64.89***	48.26	Reject H_0

Source: Research Findings

*** statistically significant at 0.001 significance level.

According to the Table 4:

1- The Translog model is an adequate representation of the data, given its specification.

2- Production risk in inputs and socio-economic variables and technical inefficiency are present and estimated lambda is 0.54 and it is significantly greater than zero. This implies that variations in the observed output from the frontier output is due to technical inefficiency

(u) and random noise (v).

4- The study finds technical inefficiencies are explained by the exogenous factors and the conventional input factors.

Comparison of Technical Efficiency Values with Risk and without Risk Component

The results of estimating technical efficiency with and without considering risk components are shown in Table 5.

Table 5- Technical efficiency with and without risk component

Technical efficiency	Min	Max	SD	Mean	Technical inefficiency
Technical efficiency with risk	25.37	100	12.31	93.47	6.53
Technical efficiency without risk component	15.49	100	10.43	96.27	3.73

Source: Research findings

The average technical efficiency of farms with the risk component was 93.47 percent. In this case, there is a 6.53 percent inefficiency

(Table 5). Also, the average technical efficiency of farms without considering risk was 96.27 percent. That is, in this case, the units have a

3.73 percent inefficiency.

Therefore, considering risk in the production process clearly affects technical efficiency. The difference in the efficiency in both cases indicates that with the same amounts of inputs and facilities, the production level can be increased significantly, and this increase in production increases when the factors that create risk can be controlled. Therefore, it can be concluded that by considering risk in production, production can be increased by 6.53 percent by using available resources efficiently. Without considering risk, this amount reaches 3.73 percent. The economic interpretation of the efficiency estimate can be expressed as follows: On average, rice farmers in the study area can increase their technical efficiency by 6.53 percent (with risk component) and 3.73 percent (without risk component) without requiring additional resources for production. So, the technical efficiency score is overestimated when the production risk component is excluded. So, the conventional stochastic frontier model underestimates technical efficiency scores than a stochastic frontier model with flexible risk specification. This result is consistent with findings of [Alikhani et al. \(2015\)](#), [Ogundari & Akinbogun \(2010\)](#), [Adinku \(2013\)](#), [Baawuah \(2015\)](#) and [Oppong et al. \(2016\)](#).

Conclusion and Recommendation

This study was carried out to investigate the technical efficiency and production risk of rice paddy fields in Rasht County, Iran, using the stochastic frontier model with flexible risk properties. In this model, the Translog production function was estimated simultaneously with production risk and technical inefficiency by a single-stage maximum likelihood estimation. The Translog production function was the most appropriate functional form for the production function part in the generalized SFP model of Kumbhakar (2002). Since the coefficients in the Translog function are not interpreted directly, the concept of input elasticity should be used for interpretation. The results showed that (i) the elasticity of cultivated area, nitrogen fertilizer,

phosphorus fertilizer, herbicide, and machinery were positive, increasing these inputs could potentially increase the average production; (ii) the production elasticity of seed and labour was negative, indicating that higher levels of these inputs—relative to the study sample—led to a decrease in average rice production. (iii) the rice fields studied in Rasht exhibited increasing returns to scale. Moreover, variations in production were found to be influenced by input-related production risk. According to the estimated coefficients of the production risk function, certain inputs—including cultivated area, water usage, farmer's age, and gender—were identified as risk-increasing factors. In contrast, inputs such as seed, herbicide, machinery, farmer education, household size, and rice farming experience were found to reduce production risk, indicating their role as risk-reducing inputs.

Changes in technical efficiency are explained by the combination of the effects of inputs and exogenous variables. The results of the estimation of the technical inefficiency model showed that seed inputs, labor, membership in cooperatives, and agricultural insurance had a positive and significant effect on the technical inefficiency of rice production units in the study area, and the variables of nitrogen fertilizer, water, gender, rice cultivation experience, and participation in educational and extension programs had a negative and significant effect on the inefficiency of the units. Based on the results, farms in the study area operate below the production frontier, and this deviation from the production frontier was due to technical inefficiency and risk.

The average technical efficiency estimated using the stochastic frontier function with flexible risk properties was 93.47%, and the average technical efficiency calculated without considering the risk component was 96.27%, which showed a higher value. Therefore, it is observed that not considering the risk component in estimating technical efficiency leads to biased results of technical efficiency. Based on the findings of this study, the following recommendations are made to help

farmers and policymakers to increase rice output, eliminating technical inefficiencies and decreasing the effect of risk in the production process by knowledge transfer through organizing practical training and encouraging farmers participation in cooperatives corporations to improve farmers knowledge on optimized usage of seed, cultivation area, nitrogen fertilizer, herbicides, and machinery. Additionally, facilitating farmers access to

financial support, i.e. loan, to upgrade machineries can improve farmers efficiency. Finally, given the impact of agricultural insurance (specifically rice insurance), it is recommended that insurers fulfill their obligations by providing full and prompt compensation for damages, in order to encourage rice farmers to adopt this risk management tool

References

1. Adinku, E.O. (2013). Production risk and technical efficiency of irrigated rice farms in the greater Accra and Volta regions of Ghana. Doctoral dissertation. University of Ghana.
2. Agustina, S. (2016). The influence of technical inefficiency level that involve farmer's behavior on risk towards profit in rice production of Indonesia. *Russian Journal of Agricultural and Socio-Economic Sciences*, 10, 3-12. <https://doi.org/10.18551/rjoas.2016-10.01>
3. Aigner, D.J., Lovell, C.K., & Schmidt, P. (1977). Formation and estimation of stochastic frontier production function models. *Journal of Econometrics*, 6(1), 21–37. <https://EconPapers.repec.org/RePEc:eee:econom:v:6:y:1977:i:1:p:21-37>
4. Alikhani, L., Dashti, G., Rahelei, H., & Hosseinzad, J. (2015). Technical efficiency and production risk in cold-water fish farming of Kamyaran County. *Animal Science Research (Agricultural Knowledge)*, 25, 1-12. (In Persian). <https://www.magiran.com/p1449103>
5. Baawuah, G. (2015). Production risk and technical efficiency of lowland rice farms in Ashanti region, Ghana. Doctoral dissertation. University of Ghana.
6. Battese, G.E., & Coelli, T.J. (1988). Prediction of firm-level technical efficiencies with a generalized frontier production function and panel data. *Journal of Econometrics*, 38(3), 387-399. [https://doi.org/10.1016/0304-4076\(88\)90053-X](https://doi.org/10.1016/0304-4076(88)90053-X)
7. Battese, G.E., Rambaldi, A.N., & Wan, G.H. (1997). A stochastic production function with flexible risk properties. *Journal of Productivity Analysis*, 8, 269–280. <https://doi.org/10.1023/A:1007755604744>
8. Bokusheva, R., & Hockmann, H. (2006). Production risk and technical inefficiency in Russian agriculture. *European Review of Agricultural Economics*, 33, 93-118. <https://doi.org/10.1093/erae/jbi036>
9. Esfandiari, M., Shahraki, J., & Karbasi, A. (2012). Study of efficiency and optimal inputs usage for rice production; case study: rice producers in Kamfirouz District, Fars Province. *Agricultural Economics*, 6(3), 1-21. (In Persian). https://www.iranianjae.ir/article_9299.html?lang=en
10. Esfandiari, M., Shahraki, J., & Karbasi, A. (2013). Determination of technical efficiency and production risk of rice: a case study of Marvdasht County of Fars Province. *Agronomy Journal (Pajouhesh and Sazandegi)*, 100, 76-87. (In Persian). <https://profdoc.um.ac.ir/articles/a/1045442.pdf>
11. Guttormsen, A.G., & Roll, K.H. (2014). Production risk in a subsistence agriculture. *The Journal of Agricultural Education and Extension*, 20, 133-145. <https://doi.org/10.1080/1389224X.2013.775953>
12. Hosseinzad, J., & Alefi, K. (2016). Simultaneous assessment of production risk and inefficiency simultaneously in Ardebil potato farms. *Iranian Journal of Agricultural Economics and Development Research*, 47(3), 589-597. (In Persian). <https://doi.org/10.22059/ijaedr.2016.60227>
13. Jaenicke, E.C., Frechette, D.L., & Larson, J.A. (2003). Estimating production risk and inefficiency simultaneously: an application to cotton cropping systems. *Journal of Agricultural*

and Resource Economics, 28(3), 540-557. <https://doi.org/10.22004/ag.econ.31059>

14. Just, R.E., & Pope, R.D. (1978). Stochastic specification of production functions and economic implications. *Journal of Econometrics*, 7, 67-86. [https://doi.org/10.1016/0304-4076\(78\)90006-4](https://doi.org/10.1016/0304-4076(78)90006-4)

15. Karbasi, A.R., Daneshvar Kakhakei, M., Karim Keshte, M.H., & Nouri Toukanloo, Z. (2005). Investigating the factors affecting production risk of irrigated and rainy cumin in Khorasan province. *Sciences and Agricultural Industry*, 19(2), 57-64. (In Persian). <https://profdoc.um.ac.ir/paper-abstract-202700.html>

16. Kea, S., Li, H., & Pich, L. (2016). Technical efficiency analysis of Cambodian household rice production. *Global Journal of Human-Social Science Research*, 16, 32-44. <https://socialscienceresearch.org/index.php/GJHSS/article/view/1907>

17. Kibaara, B.W. (2005). Technical efficiency in Kenyan's maize production: an application of the stochastic frontier approach. Doctoral Dissertation. Colorado State University.

18. Kopahi, M., Sadat Barikani, H., Kavoosi Kelashomi, M., & Sasoli M. (2009). Effects of inputs utilization on rice production risk in Guilan Province. *Journal of Crop Production and Processing*, 13(48), 357-364. (In Persian). <https://jcpp.iut.ac.ir/article-1-1012-fa.html>

19. Kumbhakar, S.C. (2002). Specification and estimation of production risk, risk preferences and technical efficiency. *American Journal of Agricultural Economics*, 84(1), 8-22. <https://hdl.handle.net/10.1111/1467-8276.00239>

20. Lemessa, S.D., Yismawu, M.A., Daksa, M.D., & Watabaji, M.D. (2017). Risk adjusted production efficiency of maize farmers in Ethiopia: Implication for improved maize varieties adoption. *Turkish Journal of Agriculture-Food Science and Technology*, 5(9), 1099-1107. <https://doi.org/10.24925/turjaf.v5i9.1099-1107.1339>

21. Meeusen, W., & Van Den Broeck, J. (1977). Efficiency estimation from Cobb-Douglas production functions with composed error. *International Economic Review*, 18(2), 435-444. <https://doi.org/10.2307/2525757>

22. Mehri, M., Eshraghi, F., & Keramatzadeh, A. (2020). An analysis of the determinants of wheat production risk in Gorgan County. *Journal of Agricultural Science and Technology*, 22(5), 1153-1164. <http://jast.modares.ac.ir/article-23-23169-en.html>

23. Ogundari, K., & Akinbogun, O.O. (2010). Modeling technical efficiency with production risk: a study of fish farms in Nigeria. *Marine Resource Economics*, 25, 295-308. <https://doi.org/10.5950/0738-1360-25.3.295>

24. Ogunniyi, L.T., & Ojedokun, I.K. (2012). An investigation of production risk and economic efficiency of rice farmer in Kwara state, Nigeria. *International Journal of Agriculture*, 5(1), 35-43. https://www.researchgate.net/publication/299470074_An_Analysis_of_production_risk_and_economic_efficiency_of_rice_farmers_in_Kwara_State_Nigeria#fullTextFileContent

25. Onumah, E.E., & Acquah, H.D. (2010). Frontier analysis of aquaculture farms in the southern sector of Ghana. *World Applied Sciences Journal*, 9(7), 826-835. <https://197.255.68.203/handle/123456789/1566>

26. Oppong, B.A., Onumah, E.E., & Asuming-Brempong, S. (2016). Technical efficiency and production risk of maize production: Evidence from Ghana. *Asian Journal of Agricultural Extension, Economics and Sociology*, 11(3), 1-9. <https://doi.org/10.26796/jenrm.v3i2.90>

27. Sarker, M.A.A., Arshad, F.M., Alam, M.F., Mohamed, Z.A., & Khan, M.A. (2016). Stochastic modeling of production risk and technical efficiency of Thai koi (Anabas testudineus) farming in Northern Bangladesh. *Aquaculture Economics & Management*, 20(2), 165-184. <https://doi.org/10.1080/13657305.2016.1156189>

28. Sharzehei, Gh.A., & Zibaei, M. (2001). The effects of inputs application on cotton production risk in Fars Province. *Agricultural Sciences and Technology*, 15(2), 49-54. <https://sid.ir/paper/22425/en>

29. StataCorp (2017). Stata Statistical Software: Release 15. *StataCorp LLC, 2017.*

30. Statistical Yearbook of Guilan Province (2022).

31. Statistics of the Agricultural Jihad Organization of Guilan Province, 2016.

32. Taraka, K., Latif, I.A., Shamsudin, M.N., & Sidique, S.B.A. (2012). Estimation of technical efficiency for rice farms in Central Thailand using stochastic frontier approach. *Asian Journal of Agriculture and Development*, 9(2), 1-11. <https://doi.org/10.22004/ag.econ.199098>

33. Tiedemann, T., & Latacz-Lohmann, U. (2013). Production risk and technical efficiency in organic and conventional agriculture: the case of arable farms in Germany. *Journal of Agricultural Economics*, 64, 73-96. <https://doi.org/10.1111/j.1477-9552.2012.00364.x>

34. Tveteras, R. (1999). Production risk and productivity growth: some findings for Norwegian salmon aquaculture. *Journal of Productivity Analysis*, 12, 161-179. <https://doi.org/10.1023/A:1007863314751>

35. Villano, R.A., O'Donnell, C.J., & Battese, G.E. (2005). An investigation of production risk, risk preferences and technical efficiency: evidence from rainfed lowland rice farms in the Philippines. *Working paper series in agricultural and resource economics*, ISSN 1442. <https://doi.org/10.22004/ag.econ.12953>

36. Villano, R., & Fleming, E. (2006). Technical inefficiency and production risk in rice farming: Evidence from central Luzon Philippines. *Asian Economic Journal*, 20(1), 29-46. <https://doi.org/10.1111/j.1467-8381.2006.00223.x>

37. Wik, M., Aragie Kebede, T., Bergland, O., & Holden, S.T. (2004). On the measurement of risk aversion from experimental data. *Applied Economics*, 36(21), 2443-2451. <https://doi.org/10.1080/0003684042000280580>

38. Yang, Z., Mugera, A.W., & Zhang, F. (2016). Investigating yield variability and inefficiency in rice production: a case study in central China. *Sustainability*, 8(8), 787. <https://doi.org/10.3390/su8080787>

39. Yazdani, S., & Sassoli, M.R. (2008). The effect of usage of inputs on the rice production risk in Shaft County of Guilan province. *Economics and Agriculture*, 2(1), 35-46. <https://www.magiran.com/p628354>



مقاله پژوهشی

جلد ۳۹، شماره ۲، تابستان ۱۴۰۴، ص. ۱۸۰-۱۶۵

ارزیابی همزمان کارایی فنی و ریسک تولید مزارع برنج


هانیه کاظمی شعبانزاده افلاکی^{۱*} - عذر جوان بخت^۱ - خدیجه الفی^۲

تاریخ دریافت: ۱۴۰۳/۱۰/۲۴

تاریخ پذیرش: ۱۴۰۴/۰۱/۲۷

چکیده

فعالیت‌های کشاورزی در مقایسه با سایر فعالیت‌های تولیدی، فعالیتی پر ریسک بوده و این ریسک اغلب با ناکارآمدی همراه است. بنابراین مطالعه همزمان ریسک و عدم کارایی می‌تواند منجر به تولید کاراتر شود. بر اساس داده‌های سازمان جهاد کشاورزی استان گیلان (سال ۱۳۹۵)، تعداد کل کشاورزان در زمان مطالعه ۳۸۷۶۳ نفر بود. با استفاده از فرمول کوکران، حجم نمونه مورد نیاز ۲۲۶ نفر محاسبه شد که تقریباً ۵۸ درصد از جمعیت را تشکیل می‌دهد. پرسشنامه شامل دو بخش بود که به ترتیب مربوط به نهاده‌های مورد استفاده در فرآیند تولید برنج و متغیرهای اجتماعی-اقتصادی کشاورزان و مزارع آنها بود. برای ارزیابی همزمان کارایی فنی و ریسک تولید برنج کاران، در شهرستان رشت در سال ۱۳۹۷، از یک مدل تولید مرزی تصادفی تعیین‌یافته (SFP) با ویژگی‌های ریسک انعطاف‌پذیر استفاده شد. نتایج تخمین تابع ریسک تولید نشان داد که تولید برنج به طور معنی‌داری تحت تأثیر نهاده‌های زمین، بذر و نیروی کار قرار دارد. همچنین، نهاده‌های سطح زیرکشت، آب، سن شالیکار و جنسیت ریسک فزاینده و بذر، علف‌کش‌ها، ماشین‌آلات، تحقیقات کشاورز، اندازه خانواده و تجربه کشاورزی از نهاده‌های ریسک کاهنده هستند. علاوه بر این، بذر، نیروی کار، عضویت در تعاونی‌های کشاورزی و بیمه، ناکارایی فنی را افزایش می‌دهد. کود نیترات، آب، جنسیت، تجربه کشت برنج و شرکت در کلاس‌های آموزشی و تربویجی اثر مثبت بر کارایی فنی در منطقه‌ی مورد مطالعه داشتند. نتایج برآورد کارایی فنی نشان داد که میانگین کارایی فنی شالیکاران با مؤلفه ریسک ۹۳/۴۷ درصد و بدون مؤلفه ریسک ۹۶/۲۷ درصد بوده است. بنابراین واضح است که برآورد مدل بدون مؤلفه ریسک منجر به خطا بزرگنمایی در میزان کارایی فنی می‌شود. در نتیجه، توصیه می‌شود هنگام اندازه‌گیری کارایی فنی شالیکارها برای دستیابی به مدیریت ریسک صحیح و تولید سیار کارآمد، مؤلفه ریسک در نظر گرفته شود.

واژه‌های کلیدی: ریسک تولید، شالیکاری، کارایی فنی، مدل مرزی تصادفی (SFP)، مدیریت ریسک، نهاده‌های کشاورزی
پژوهشگاه علوم انسانی و مطالعات فرهنگی
پرستال جامع علوم انسانی

۱- گروه اقتصاد کشاورزی، دانشکده کشاورزی، دانشگاه ارومیه، ارومیه، ایران

*(۲- نویسنده مسئول: Email: o.javanbakht@urmia.ac.ir)

۲- گروه اقتصاد کشاورزی، دانشگاه تبریز، تبریز، ایران